




NOTES:

1	E43	IC DEC 8093	110837	20
2		GRIPLET	1210244-C	27
2		SPACER (CABLE CLAMP)	1202704	24
2		HANDLE, FLIP CHIP-MAGENTA	9008337-06	25
4		EYELET 654-11 STIMPSON	9006750	29
1	E15	IC DEC 7412	1909953	23
1	E23	IC DEC 7416	1909928	22
3	E32, E36, E22	IC DEC 8881	1909705	21
1	E12	IC DEC 74111	1909267	20
3	E7, E9, E34	IC DEC 7402	1909004	19
6	E4, E10, E19, E28, E39, E42	IC DEC 7404	1909686	18
4	E2, E14, E33, E35	IC DEC 7410	1905576	17
1	E8	IC DEC 74H53	1909062	16
2	E11, E26	IC DEC 74R6	1910011	15
3	E18, E25, E37	IC DEC 97401	1909973	14
3	E3, E29, E40	IC DEC 380	1909485	13
5	E16, E20, E24, E27, E31	IC DEC 8235	1909935	12
6	E15, E13, E17, E21, E41	IC DEC 74H74	1909667	11
1	E30	IC DEC 384	1709486	10
2	E6, E38	IC DEC 7400	1905575	9
4	R6, R8, R9, R15	RES 1K 1/4W 5%	1300365	8
16	R1, R2, R3, R4, R5 R7, R10, R11, R12, R20 R13, R14, R16, R17, R18, R19	RES 470 1/4W 10%	1300317	7
3	C33, C24, C35	CAP 6.8uFd 35V 20% TANT	1000067	6
32	C1 THRU C32	CAP. 0.1uFd 100V 20% DISC	1001610	5
1		ETCHED CIRCUIT BOARD	5009604	4
REF		MODULE ECO HISTORY	B-MH-M8341-0-1	3
REF		ASSY/DRILLING HOLE LAYOUT	D-AH-M8341-0-1	2
REF		X-Y COORDINATE HOLE LOCATION	K-CO-M8341-0-1	1

DEC 8093	7	14
DEC 380	1	8
DEC 8235	8	16
DEC 384	1	8
IC TYPE	END	+5V
END AND BY ARE USUALLY PIN 7 AND 14 RESPECTIVELY. EXCEPTIONS ARE STATED ABOVE.	ITEM NO	AWG
IC PIN LOCATIONS	FROM PT	TO PT
JUMPER LIST		

DEC NO.	EIA NO.	DEC NO.	EIA NO.
SEMICONDUCTOR CONVERSION CHART			
EQUIPMENT CORPORATION			
MULTIPLEXERS & TIMING GEN EAE			
ECS M8341-0-1			

