


THIS SCHEMATIC IS FURNISHED ONLY FOR TEST AND MAINTENANCE PURPOSES. THE CIRCUITS ARE PROPRIETARY IN NATURE AND SHOULD BE TREATED ACCORDINGLY. COPYRIGHT 1970 BY DIGITAL EQUIPMENT CORPORATION



BBI, BC1, BD1  
BE1, AA2, BA2  
ABI, AC1, AD1  
AE1, AF1, AH1  
AJ1, AK1, AL1  
AS1, +5V

AC2, AH2, AK2  
AL2, AT1, BC2  
AD2, BH2, BK2  
BL2, BT1, AN2  
GND

UNLESS OTHERWISE INDICATED:  
RESISTORS ARE 330, 1/4W, 5%  
CAPACITORS ARE .01uf, 100V, 20%  
DIODES ARE D664  
TRANSISTORS ARE DEC3009B  
E1 IS DEC7401  
PIN 7 ON E1 = GND  
PIN 14 ON E1 = +5V

G829-2

REV. A  
NUMBER G829-0-1  
SIZE CODE C CS

REVISIONS	CHK	ENG	DATE
1	3/77		

DEC FORM NO. DRC 102

663-F2

DRW		DATE		TRANSISTOR & DIODE CONVERSION CHART			
ALLAN RITCEY	1-16-70	DEC	EIA	DEC	EIA		
CHK'D		D664	IN3606				
ENG.		IN748A	SAME				
		DEC3009B	2N3009B				
		DEC6534B	MPS6534				
			2N4441				

**digital** EQUIPMENT CORPORATION  
MAYNARD, MASSACHUSETTS

TITLE: POWER CONNECTOR G829  
SIZE: C CS  
NUMBER: G829-0-1  
REV: A

PRINTED CIRCUIT REV. \_\_\_\_\_

DIST. 324, 434, 435