


THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART BY ANY BASIS FOR THE MANUFACTURE OR SALE OF ANY ITEM, WITHOUT WRITTEN PERMISSION. COPYRIGHT © 1976, DIGITAL EQUIPMENT CORPORATION

10-0006GH 2

NUMBER	VARIATION
H9300-AA	115V, 60HZ (MOS)
H9300-AB	230V, 50HZ (MOS)
H9300-BA	115V, 60HZ (CORE)
H9300-BB	230V, 50HZ (CORE)
H9300-AC	230V, 60HZ (MOS)
H9300-AD	115V, 50HZ (MOS)
H9300-BH	230V, 60HZ (CORE)
H9300-EJ	115V, 50HZ (CORE)

LEGEND		NOTES:
		1. MOUNTING HARDWARE VARIATIONS - FOR ITEM #5 (FAN) ARE AS FOLLOWS:
		FAN VARIATIONS (FAN #1) HARDWARE VARIATIONS (ITEM #1)
		VENDOR VENDOR PART DESCRIPTION DEC PIN
TMC	VISE CLIP	500315
HO-01	CLIP	
ROTRON	CT32	NUT KEYS
TORIN	TA450-1	26-37
		2. IF ITEMS #6 (RETAINER) AND #7 (FILTER) ARE NOT AVAILABLE, USE TWO FAN SCREENS. DEC PIN CND 940488-0-0
		NOTES CONT. ON PAGE 3 OF "UA".



REV.	CHANCE NO.	REV.
1	H9300-00001	A
2	H9300-00002	B
3	H9300-00003	C
4	H9300-00004	D
5	H9300-00005	E
6	H9300-00006	F

DEC FORM NO. DSD 100-C

DESCRIPTION	DWG./PART NO.	ITEM NO.
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		
ANGLES	CLASS OF ACCURACY	NOMINAL DIMENSION RANGE INCHES
10° 30'	(CHECK ONE)	OVER 0 TO 0.2
		OVER 0.2 TO 1.2
		OVER 1.2 TO 4.0
		OVER 4.0 TO 12.0
		OVER 12.0 TO 40.0
		OVER 40.0 TO 80.0
SURFACE QUALITY		
IN	MEDIUM	
	PREFERRED	
	0.012	0.018
	0.026	0.04
	0.06	0.1
QUANTITY & VARIATION		
THIRD ANGLE PROJECTION		
DRN	CHKD	ENG
PROJ	PROJ	PROJ
FIRST USED ON		
TITLE		
CHASSIS ASSY, H9300		
MATERIAL	SIZE	CJDE
SEE PARTS LIST	A-PL-BA900-0-0	D UA
FINISH	SCALE	NUMBER
	1 OF 3	H9300-0-0
		REV. F

REV. F
NUMBER H9300-0-0
D UA





A

1


ASSEMBLY INSTRUCTIONS

- 1 OPERATIONS TO BE PERFORMED PER HARDWARE STANDARDS SP / 685099-0 AND/OR DEC WORKMANSHIP STANDARDS.
- 2 ATTACH CAN TAPE (ITEM #34) TO CHASSIS (ITEM #4) AS SHOWN IN VIEW A-A.
- 3 INSTALL FAN HARNESS (ITEM #8) INTO CHASSIS AS SHOWN IN DETAIL "A".
- ~~4 ATTACH FILTER RETAINERS (ITEM #6) TO THE TWO FANS (ITEM #5) WITH #8-32 X .75 FLAT HEAD SCREWS (ITEM #23) AND THE APPROPRIATE MOUNTING HARDWARE (SEE NOTE #2) - FOUR PLACES EACH FAN.~~
- 5 PLUG FAN HARNESS CONNECTORS J1 & J2 (SEE DETAIL "A") ON TO THE FAN TERMINALS.
- 6 ATTACH FANS TO CHASSIS WITH #6-32 X .75 FLAT HEAD SCREWS (ITEM #22) AND THE APPROPRIATE MOUNTING HARDWARE FOUR PLACES EACH FAN.
- 7 REWORK FIVE CARD GUIDES (ITEM #13) AS SHOWN ON DETAIL "E".
- 8 INSTALL FULL LENGTH CARD GUIDES (ITEM #13) AND REWORKED CARD GUIDES AS SHOWN (10 PLACES).
- 9 INSTALL THE 1/4 TURN RECEPTACLES (ITEM #32) ON THE TWO TABS ON THE BOTTOM OF THE CHASSIS.
- 10 ATTACH THE H9194 CONNECTOR BLOCK ASSEMBLY (ITEM #3) TO THE REAR OF THE CHASSIS WITH #8-32 X .25 PAN HEAD SCREWS (ITEM #24) AND #8 EXTERNAL TOOTH LOCK WASHERS (ITEM #25) TEN PLACES.
- 11 PLUG P1 OF THE FAN HARNESS (4 PIN CONNECTOR) INTO J18 OF THE H9194 (SEE DETAIL "B").
- 12 ATTACH THE LINE SET (ITEM #9-12 #5, #7, #8, #9) TO THE REAR OF THE CHASSIS WITH THREE #6-32 X .25 LG PAN HEAD SCREWS (ITEM #40) AND THREE #8 EXTERNAL TOOTH LOCK WASHERS (ITEM #27) AS SHOWN. SEE DETAIL "C" (SHEET 1) FOR PROPER GROUNDING.
- 13 PLUG P1 (2 PIN CONNECTOR) OF THE LINE SET INTO J15 OF THE H9194 (SEE DETAIL "B").
- 14 PLUG ONE END OF THE 18 CONDUCTOR CABLE (ITEM #19) INTO J14 OF THE H9194 AS SHOWN.
- ~~15 SET THE TRANSFORMER ASSEMBLY (ITEM #1 OR 10) IN THE CHASSIS AND FASTEN THE GREEN WIRE TO THE CHASSIS WITH ONE #4-40 X .30 SCREW (ITEM #39) TWO #8 EXTERNAL TOOTH LOCK WASHERS (ITEM #26) ONE FLAT WASHER (ITEM #23) AND ONE #4-40 NUT (ITEM #43) AS SHOWN IN DETAIL "C".~~
- 16 PLACE THE TRANSFORMER ASSEMBLY IN POSITION (THE 18 CONDUCTOR CABLE SHOULD BE ROUTED UNDERNEATH THE TRANSFORMER) AND ATTACH TO THE CHASSIS WITH FOUR #10-32 X .50 PAN HEAD SCREWS (ITEM #30) AND #10 EXTERNAL TOOTH LOCK WASHERS (ITEM #6) AS SHOWN. SEE DETAIL "C" (SHEET 1) FOR PROPER GROUNDING.
- 17 PLUG P2 OF THE TRANSFORMER ASSEMBLY (12 PIN CONNECTOR) INTO EITHER J16 (115V) OR J17 (230V) OF THE H9194 (SEE DETAIL "B").
- 18 CONNECT THE THREE LARGE WIRES ON THE TRANSFORMER ASSEMBLY TO THE TABS TB1, TB2 AND TB3 (SEE DETAIL #B) ON THE H9194. THE BLU/BLK WIRE IS ALWAYS CONNECTED TO THE CENTER TAB (TB2).
- 19 PLUG P1 OF THE TRANSFORMER ASSEMBLY (6 PIN CONNECTOR) INTO J19 OF THE H9194 (SEE DETAIL #B).
- 20 PLUG THE G0018 REGULATOR BOARD (ITEM #2) INTO THE H9194 AS SHOWN, AND SECURE IN PLACE WITH THE TWO ATTACHED 1/4 TURN FASTENERS.
- 21 ATTACH THE LATCH MOLDINGS (ITEM #14) TO THE CHASSIS WITH #10-32 X .75 FLAT HEAD SCREWS (ITEM #29) AND SPEED NUTS (ITEM #28).
- 22 PLUG THE OTHER END OF THE 16 CONDUCTOR CABLE INTO J1 OF THE LIMITED FUNCTION BOARD (ITEM #21) SEE DETAIL #D.
- 23 ATTACH THE LIMITED FUNCTION BOARD TO THE CHASSIS.
- 24 ATTACH THE BLANK BEZEL ASSEMBLY (ITEM #20) TO THE CHASSIS.
- ~~25 SLIDE FILTERS (ITEM #7) INTO FILTER RETAINERS.~~
- 26 ITEMS 14, 16, 22, 23 & 24 THIS INSTRUCTION SHEET REFER TO NOTE #9 AND #10 FOR CORRECTIONS.


THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. COPYRIGHT © 1971 DIGITAL EQUIPMENT CORPORATION



TRANSFORMER ASSY. (7013954-0-0 50/60 HZ) MOS SERIES (NO P1 SECONDARY)



DETAIL "D" SWITCH LOCATIONS ON LIMITED FUNCTION BOARD OF PANEL ASSY (ITEM #21) SCALE: 1/4" = 1"



DETAIL "B" SCALE: 1/4" = 1"

REVISIONS		
CHK	CHANGE NO	REV


TITLE CHASSIS ASSY, H9300		SIZE CODE DUA	NUMBER H9300-0-0	REV. F
SCALE	SHEET 2 OF 3	DIST		

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. COPYRIGHT © 1975 DIGITAL EQUIPMENT CORPORATION.

MODULE ASSIGNMENTS AND POWER REQUIREMENTS (SEE NOTES #7,8)

OPTION	DESCRIPTION	BOARD SIZE	NO. SLOTS USED	ASSIGNED SLOT NO.	CURRENT		
					+5V	+15V	-15V
CMB-F	CARD RDR CONT.	QUAD	1	4-12	.55A	—	—
CRB-F	CARD RDR CONT.		1	4-12	.55A	—	—
DBB-EA	INTERPROC. BUFFER		1	2-12	.88A	—	.93A
DKB-EC	RTC, CRYSTAL		1	2-12	.34A	—	—
DKB-EP	RTC, PROG.	QUAD	2	2-12	1.43A	—	.97A
DKCB-A	OPTION #1	HEX	1	2-3	2.8A	.06A	.10A
DPB-EA, -EB	MODEM INTERFACE	QUAD	2	2-12	1.88A	.95A	.11A
DRB-EA	DIGITAL I/O	QUAD	1	2-12	2.25A	—	—
KAB-E	POSITIVE I/O	QUAD	1	4-12	1.48A	—	—
KCB-AA, -AB	PROG. CONSOLE	PNL. MT.	0	N.A.	2.5A	—	—
KDB-E	DATA BREAK	QUAD	1	4-12	1.2A	—	—
KGB-EA	REDUNDANCY CHECK	QUAD	1	4-12	.94A	—	—
KKB-A	C.P.U.	HEX	1	1	5.8A	—	.84A
KLB-JA	ASYN. DATA CONT	QUAD	1	2-12	1.1A	.85A	.18A
KLB-M	MODEM CONTROL	QUAD	1	2-12	1.48A	.84A	.94A
MCB-A	OPTION #2	HEX	1	2-3	2.8A	—	—
MBB-E	MEM. EXT. & T.S. CONT.	QUAD	1	4-12	1.8A	—	—
LEB-XX	LINE PRINTER CONT.	QUAD	1	2-12	.35A	—	—
LSB-F	LINE PRINTER CONT.	QUAD	1	2-12	.48A	—	—
MMB-AA	8K CORE, OPERATING	HEX	2	4-8	2.5A	—	—
MMB-AA	8K CORE, STANDBY	HEX	2	4-8	2.5A	—	—
MMB-AB	16K CORE, OPERATING	HEX	2	4-8	2.5A	—	—
MMB-AB	16K CORE, STANDBY	HEX	2	4-8	2.5A	—	—
MRB-AA	1K ROM	QUAD	1	2-12	2.8A	—	—
MRB-AB	2K ROM		1	2-12	3.0A	—	—
MRB-AC	3K ROM		1	2-12	4.0A	—	—
MRB-AD	4K ROM		1	2-12	5.8A	—	—
MRB-FB	1K PROM		1	2-12	3.8A	—	.35A
MSB-AA	1K RAM		1	4-12	1.4A	—	—
MSB-AB	2K RAM		1	4-12	2.1A	—	—
MSB-AC	3K RAM		1	4-12	2.8A	—	—
MSB-AD	4K RAM		1	4-12	3.5A	—	—
PCB-E, PRO-E	RDR/PUNCH CONTROL		1	4-12	.84A	—	.85A
RKB-E	RK01 CONTROL		1	4-8	1.5A	—	—
RKB-EA	RK05 CONTROL		3	4-12	3.10A	—	—
TAB-AA	TU09 CONTROL		1	2-12	2.88A	—	—
TMB-EA, -FA	TU18 CONTROL		4	4-12	4.18A	—	—
VCB-E	DI: PLAY CONTROL		2	2-12	.31A	—	—
YTB-E	DIS: PLAY CONTROL		3	4-12	3.78A	.89A	.13A
YTB-E	PLOTTER CONTROL	QUAD	1	4-12	.42A	.81A	.93A
KKB-E	M8300 MAJOR REG.	QUAD	1	12	1.7	—	—
	M8310 MAJOR REG. CONT	QUAD	1	11	.6	—	—
	M8330 TIMING SEN	QUAD	1	10	1.2	—	—
	M8320 BUS LOAD	QUAD	1	1	1.0	1.0	.53
MSB-CA	16K MOS RAM	HEX	1	4-8	3.3A	—	.7A
MSB-CB	32K MOS RAM		1	4-8	3.5A	—	.7A
KTB-A	MEM. MANAGEMENT		1	4-8	3.8A	—	—
RLB-A	RL01 CONTROL	HEX	1	4-12	2.5A	.2A	.1A

AVAILABLE CURRENT - H9300-AA, AB -15V 20A +15V 2A -15V 2A
 - H9300-BA, BB 25A 2A 2A




MAX. UNIT WEIGHT = 55 LB.

MOUNTING INSTRUCTIONS


- SEE DETAIL "F" FOR MTC DIM
- THE DIM FROM CENTER LINE OF RIGHT CAB UPRIGHT MOUNTING HOLE TO LEFT CAB UPRIGHT MOUNTING HOLE CENTER LINE IS 18.31.
- REMOVE THE BLANK BEZEL ASSY.
- REMOVE THE LIMITED FUNCTION PANEL AND DISCONNECT THE CABLE FROM THE LIMITED FUNCTION BD.
- REMOVE THE LATCH MOLDING (4 PLACES).
- REMOVE THE SPEED NUT, AND INSTALL ON CABINET POST. 8 PLACES PER MOUNTING DIMENSIONS.
- IT MAY BE NECESSARY TO REMOVE THE FILTER RETAINER AND THE FILTER IN ORDER TO MOUNT THE BOX IN A CABINET.
- WITH THE BOX IN PLACE, IN THE CABINET, REPLACE THE LATCH MOLDING AND SPACERS SO AS TO SECURE THE BOX TO THE CABINET.
- PLUG THE CABLE INTO THE LIMITED FUNCTION BD AND REPLACE LIMITED FUNCTION PANEL.
- REPLACE THE BLANK BEZEL ASSY; REINSTALL THE FILTER RETAINER AND THE FILTER.
- FOR MOUNTING INSTRUCTIONS #4 AND #9, SEE NOTES #9 AND #10.

NOTES:

- TO CREATE A 115V 50 HZ CORE VARIATION USE THE H9300-00-1 PLACE THE LINE SET ITEM #12 WITH A 115V SOCKET & THE SET OF 2-12-0-0-104-013-031 AND PLUG #2 (12 PIN CONN) OF THE TRANSFORMER ASSEMBLY INTO THE 115V OF THE H9300.
- ALL H9300 POWER SUPPLY DC OUTPUTS ARE PROVIDED TO DRIVE LOGIC INTERNAL TO THE BASIC MACHINE ENCLOSURE. DIGITAL WILL NOT BE RESPONSIBLE FOR THE PERFORMANCE OF THE H9300 IF ANY DC POWER IS TAKEN OUTSIDE THE MACHINE.
- ENVIRONMENTAL CONDITIONS FOR H9300 ARE SPECIFIED IN DEC STD 102 CLASS "C" ENVIRONMENT.
- THIS ITEM (NAMEPLATE) IS SHOWN FOR REFERENCE ONLY. IT WILL BE ADDED ON A HIGHER LEVEL ASSEMBLY.
- INSTALL MODULES AS FOLLOWS: PLACEMENT OF HEX MODULES IS FROM SLOT #1 (TOP OF BACKPLANE) DOWN. PLACEMENT OF QUAD MODULES IS FROM SLOT #12 (BOTTOM OF BACKPLANE) UP.
- CARD GUIDES (ITEM #13) ARE PROVIDED FOR SLOTS #1-10. WHEN A QUAD MODULE WITH AN H851 OR H8511 CONNECTOR BLOCK (M8B-A, M8B-A, ETC) ON THE "E" SET OF FINGERS IS INSTALLED, IT IS NECESSARY TO CLIP OFF THE FRONT-LEFT CARD GUIDE IN THOSE SLOTS SO THAT THE CONNECTOR BLOCK MAY BE PROPERLY SEATED (REF DETAIL "E" FOR AN EXAMPLE OF CARD GUIDE REWORK).
- WHEN USED AS AN EXPANDER BOX THE BC08C ITEM 40, OR THE BC08H CABLE ITEM 41 GOES INTO SLOT 1 OF THE H9300. ALSO THE 16 CONDUCTOR CABLE ITEM 19 IS REMOVED IN EXPANDER BOX AND THE REMOTE SLAVE CIRCUIT ITEM 44 IS INSTALLED IN J14 OF THE H9194 CONNECTOR BLOCK ASSEMBLY.
- ITEM 21 IS REPLACED BY ITEM 45 IN EXPANDER BOX AND ITEM 42 AND 43 ARE INCLUDED IN EXPANDER BOX VARIATIONS. ITEM 43 IS TO BE USED WITH ITEM 42 WHEN EXPANDING TO 8E. IN ALL OTHER EXPANSION VARIATIONS ITEM 42 IS USED ALONE.
- REMOVE GROUND WIRE (GRNVL OR GRN) FROM LINE SET #50. ITEM 510, H12, 16 OR 17 WELD STUD NOTE LEAD MAY ALREADY BE FREE. ATTACH THIS GROUND WIRE TO CHASSIS (SEE DETAIL "F") USING ITEMS 27, 49, 50 AND 51. NOTE: HOLE IN RIGHT REAR SIDE MAY HAVE TO BE OPENED TO 1/8 IN. FOR #8 SCREW.
- FOR ITEM 48 WITH XFMR 161410 REV-B, A SPECIAL SIDE-WALL MAGNETIC SHIELD SHOULD BE INSTALLED DEC #7422956-0-0 (SEE DETAIL "H"). U-NUTS ARE REMOVED FROM RIGHT SIDE OF ASSY AND PLACED ON SHIELD. SHIELD IS THEN POSITIONED FLUSH ALONG SIDE OF ASSY WITH U-NUTS ENTERING OVER MOUNTING HOLES OF ASSY. (ITEM 48, DATE CCDED 79 --)



DETAIL "F" SCALE: —



DETAIL "H" SCALE: NONE

REVISIONS

CHK	CHANGE NO	REV

THIS DRAWING AND SPECIFICATIONS, HEREIN ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. COPYRIGHT © 1977 . DIGITAL EQUIPMENT CORPORATION

ITEM No.	DWG NO./PART NO.	DESCRIPTION	H9300-XX															
			AA	AB	AC	AD	AE	AF	AG	AH	AI	AJ	AK	AL	AM	AN	AO	
1	D-CS-G8Ø16-Ø-1	BOARD, REGULATOR G8Ø16	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
2	D-CS-G8Ø18-Ø-1	BOARD, REGULATOR G8Ø18	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	D-AD-H9194-Ø-Ø	CONN BLOCK ASSY, 12 SLOT	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
4	E-IA-7016715-Ø-Ø	CHASSIS	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
5	1209403-01	FAN	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
6	1212059	RESTRAINER, FILTER	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
7	1212105	FILTER	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
8	D-IA-7009755-Ø-Ø	HARNESS, FAN	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
9	D-AD-7016124-00	CB LINE SET ASSY, 115V, 4A (60HZ)	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
10	D-AD-7016124-01	CB LINE SET ASSY, 230V, 2.3A (50HZ)	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
11	D-AD-7016124-02	CB LINE SET ASSY, 115V, 6.8A (60HZ)	-	-	-	1	-	1	-	1	-	-	-	-	-	-		
12	D-AD-7016124-03	CB LINE SET ASSY, 230V, 3.5A (50HZ)	-	-	-	-	1	-	1	-	1	-	-	-	-	-		
13	1211630-00	CARD GUIDE	10	10	10	10	10	10	10	10	10	10	10	10	10	10		
14	1209224	LATCH MOLDING	4	4	4	4	4	4	4	4	4	4	4	4	4	4		
15	9000537	NUT, SPEED #4-40	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
16	NOTE #1	RECEIPT	12	12	12	12	12	12	12	12	12	12	12	12	12	12		
17	D-IA-7010935-Ø1-Ø	XFMR ASSY, CORE 6Ø HZ	-	-	-	1	-	1	-	1	-	1	-	1	-	1		
18	D-IA-7010935-Ø2-Ø	XFMR ASSY, CORE 5Ø HZ	-	-	-	-	1	-	1	-	1	-	1	-	1	-		
19	C-IA-7010871-1F-Ø	CABLE, 16 COND JACKETED (18")	1	1	1	1	1	1	-	-	-	1	1	-	-	-		
20	D-AD-7009978-Ø-Ø	BLANK BEZEL ASSY, 5.25"	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
21	D-AD-7010039-1-Ø	PANEL, LIMITED FUNCTION	1	1	1	1	1	1	-	-	-	1	1	-	-	-		
22	9006026-02	SCR, PHL FLAT HD #6-32 x .75 LG	8	8	8	8	8	8	8	8	8	8	8	8	8	8		
23	9006035-01	SCR, PHL PAN HD, #8-32 x .25 LG	10	10	10	10	10	10	10	10	10	10	10	10	10	10		
24	9006035-01	SCR, PHL PAN HD, #8-32 x .25 LG	10	10	10	10	10	10	10	10	10	10	10	10	10	10		
25	9003072	WASHER, LOCK EXT TOOTH #8	10	10	10	10	10	10	10	10	10	10	10	10	10	10		
26	9007649	WASHER, LOCK EXT TOOTH #6	4	4	4	4	4	4	4	4	4	4	4	4	4	4		
27	9007649	WASHER, LOCK EXT TOOTH #6	4	4	4	4	4	4	4	4	4	4	4	4	4	4		
28	9007786-01	NUT, SPEED #10-32	8	8	8	8	8	8	8	8	8	8	8	8	8	8		
29	9006075-02	SCR, PHL FLAT HD, #10-32 x .75 LG	8	8	8	8	8	8	8	8	8	8	8	8	8	8		
30	9006073-01	SCR, PHL PAN HD, #10-32 x .50 LG	4	4	4	4	4	4	4	4	4	4	4	4	4	4		
31	9008196	RECEPTACLE, 1/4 TURN	2	2	2	2	2	2	2	2	2	2	2	2	2	2		
32	9009087-00	TAPE, FOAM 2.10W x .12 THK x 2.38 LG	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
33	9009087-00	TAPE, FOAM 2.10W x .12 THK x 2.38 LG	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
34	9009087-00	TAPE, FOAM 2.10W x .12 THK x 2.38 LG	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
35	9009087-00	TAPE, FOAM 2.10W x .12 THK x 2.38 LG	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
36	9009087-00	TAPE, FOAM 2.10W x .12 THK x 2.38 LG	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
37	9009087-00	TAPE, FOAM 2.10W x .12 THK x 2.38 LG	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
38	9009087-00	TAPE, FOAM 2.10W x .12 THK x 2.38 LG	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
39	9009087-00	TAPE, FOAM 2.10W x .12 THK x 2.38 LG	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
40	D-UA-DCØØØ-Ø4	HEX OMNIBUS EXPANDER CABLE	-	-	-	-	-	-	1	1	-	-	-	1	1	-		
41	D-UA-DCØØØ-1F	OMNIBUS EXPANDER CABLE	-	-	-	-	-	2	2	-	-	-	2	2	-	-		
42	C-IA-7008288-3F	DC POWER CONTROL BUS CABLE	-	-	-	-	-	1	1	1	1	-	1	1	1	1		
43	C-IA-7013953-ØE	BE DC PWR CTRL ADAPTER CABLE	-	-	-	-	-	-	1	1	-	-	-	1	1	-		

D

C

B

A

D

C

F

B

A

REV. F
NUMBER H9300-0-0
SIZE CODE CPL

REV.	DATE	BY	DESCRIPTION
0	15 MAR 77	V. DASH	INITIAL DESIGN
1	15 MAR 77	V. DASH	REVISED TO ADD PARTS
2	15 MAR 77	V. DASH	REVISED TO ADD PARTS
3	15 MAR 77	V. DASH	REVISED TO ADD PARTS
4	15 MAR 77	V. DASH	REVISED TO ADD PARTS
5	15 MAR 77	V. DASH	REVISED TO ADD PARTS
6	15 MAR 77	V. DASH	REVISED TO ADD PARTS
7	15 MAR 77	V. DASH	REVISED TO ADD PARTS
8	15 MAR 77	V. DASH	REVISED TO ADD PARTS
9	15 MAR 77	V. DASH	REVISED TO ADD PARTS
10	15 MAR 77	V. DASH	REVISED TO ADD PARTS
11	15 MAR 77	V. DASH	REVISED TO ADD PARTS
12	15 MAR 77	V. DASH	REVISED TO ADD PARTS
13	15 MAR 77	V. DASH	REVISED TO ADD PARTS
14	15 MAR 77	V. DASH	REVISED TO ADD PARTS
15	15 MAR 77	V. DASH	REVISED TO ADD PARTS
16	15 MAR 77	V. DASH	REVISED TO ADD PARTS
17	15 MAR 77	V. DASH	REVISED TO ADD PARTS
18	15 MAR 77	V. DASH	REVISED TO ADD PARTS
19	15 MAR 77	V. DASH	REVISED TO ADD PARTS
20	15 MAR 77	V. DASH	REVISED TO ADD PARTS
21	15 MAR 77	V. DASH	REVISED TO ADD PARTS
22	15 MAR 77	V. DASH	REVISED TO ADD PARTS
23	15 MAR 77	V. DASH	REVISED TO ADD PARTS
24	15 MAR 77	V. DASH	REVISED TO ADD PARTS
25	15 MAR 77	V. DASH	REVISED TO ADD PARTS
26	15 MAR 77	V. DASH	REVISED TO ADD PARTS
27	15 MAR 77	V. DASH	REVISED TO ADD PARTS
28	15 MAR 77	V. DASH	REVISED TO ADD PARTS
29	15 MAR 77	V. DASH	REVISED TO ADD PARTS
30	15 MAR 77	V. DASH	REVISED TO ADD PARTS
31	15 MAR 77	V. DASH	REVISED TO ADD PARTS
32	15 MAR 77	V. DASH	REVISED TO ADD PARTS
33	15 MAR 77	V. DASH	REVISED TO ADD PARTS
34	15 MAR 77	V. DASH	REVISED TO ADD PARTS
35	15 MAR 77	V. DASH	REVISED TO ADD PARTS
36	15 MAR 77	V. DASH	REVISED TO ADD PARTS
37	15 MAR 77	V. DASH	REVISED TO ADD PARTS
38	15 MAR 77	V. DASH	REVISED TO ADD PARTS
39	15 MAR 77	V. DASH	REVISED TO ADD PARTS
40	15 MAR 77	V. DASH	REVISED TO ADD PARTS
41	15 MAR 77	V. DASH	REVISED TO ADD PARTS
42	15 MAR 77	V. DASH	REVISED TO ADD PARTS
43	15 MAR 77	V. DASH	REVISED TO ADD PARTS

DRN. D. SULLIVAN	2-21-73	FIRST USED ON	
CHK'D P. CANNON	3-9-73	TITLE	H9300 UNIT ASSEMBLY
ENG. P. CANNON	3-9-73	SIZE	C
PROJ. ENG. CANNON	3-9-73	CODE	PL
PROD. D. CANNON	3-9-73	NUMBER	H9300-Ø-Ø
NEXT HIGHER ASSY.	B-DD-119300-0 (0)	REV.	-
SCALE	1/1	DIST.	
SHEET	1 OF 2		

THIS DRAWING AND SPECIFICATIONS, HEREIN ARE THE PROPERTY OF DIGITAL EQUIPMENT CORPORATION AND SHALL NOT BE REPRODUCED OR COPIED OR USED IN WHOLE OR IN PART AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION. COPYRIGHT © 1977 . DIGITAL EQUIPMENT CORPORATION

ITEM NO.	DWG NO./PART NO.	DESCRIPTION	H9300														
			AA	AB	AC	AD	DA	DB	DC	DD	DE	DF	DF	BK	BL	BM	BN
44	D-DA-5413011-0-0	REMOTE SLAVE CIRCUIT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	D-AD-7009978-1-0	BOTTOM BLANK BEZEL ASSY.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	D-AD-7016124-04	CB LINE SET ASSY, 115V, 6.8A 50HZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
47	D-AD-7016124-05	CB LINE SET ASSY, 230V, 3.5A 60HZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	D-IA-7013954-0-0	XFMR ASSY (MOS)	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
49	9008185	NUT-KEP, 6-32	14	14	14	14	14	14	14	14	14	14	14	14	14	14	14
50	9006633	WASHER, INT. TOOTH #6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
51	9006622-01	SCREW PHL PAN HD 6-32 x .30 LG	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
52	D-IA-7421088-0-0	COVER, FAN HARNESS	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
53	C-MD-7421087-0-0	COVER, ENCLOSURE	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
54	9006025-03	SCR, PHL TRUSS HD 6-32 x .625LG	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
55	1210263-00	FINGER GUARD	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
56	7421103	BOTTOM COVER	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
57	3613210	SERIAL TAG	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
58	D-AD-7016124-06	CB LINE SET ASSY, 115V, 4A 50HZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	D-AD-7016124-07	CB LINE SET ASSY, 240V, 2.3A 60HZ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	9006020-01	SCR. PHL PAN HD 6-32 x .25LG	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
61	9007651-00	WASHER, LOCK, EXT. TOOTH #10	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
62	9006565-00	KEPNUT, 10-32	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
63	3612680-01	DECAL, GROUND SYMBOL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
64	3613211-00	LABEL, CSA	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
65	7416197-02	DECAL, UL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

REV.	
CHANGE NO.	
CHK	

DRN. D. SULLIVAN	2-21-75	FIRST USED ON	digital
CHK'D R. GARDNER	5-9-75	TITLE	
ENG. P. GARDNER	5-9-75	H9300 UNIT ASSEMBLY	
PROJ. ENG. GARDNER	5-9-75		
PROD. D. DENNIS	5-9-75		
NEXT HIGHER ASSY.		SIZE	CODE
B-DI-H9300-0-0		C	PL
SCALE		NUMBER	REV.
		H9300-0-0	F
SHEET 2	OF 2	DIST.	

REV. F
NUMBER H9300-0-0
SIZE CODE C/PL