

IDENTIFICATION

-----  
PRODUCT CODE:           MAINDEC-08-DIGAC-E-D  
PRODUCT NAME:           POP-08 MAINDEC INDEX  
PRODUCT DATE:           AUGUST, 1977  
MAINTAINER:             RELEASE ENGINEERING

THE INFORMATION IN THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT CORPORATION. DIGITAL EQUIPMENT CORPORATION ASSUMES NO RESPONSIBILITY FOR ANY ERRORS THAT MAY APPEAR IN THIS MANUAL.

THE SOFTWARE DESCRIBED IN THIS DOCUMENT IS FURNISHED TO THE PURCHASER UNDER A LICENSE FOR USE ON A SINGLE COMPUTER SYSTEM AND CAN BE COPIED (WITH THE INCLUSION OF DIGITAL'S COPYRIGHT NOTICE) ONLY FOR USE IN SUCH SYSTEM, EXCEPT AS MAY OTHERWISE BE PROVIDED IN WRITING BY DIGITAL.

DIGITAL EQUIPMENT CORPORATION ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS SOFTWARE ON EQUIPMENT THAT IS NOT SUPPLIED BY DIGITAL.

COPYRIGHT (C) 1976,1977 BY DIGITAL EQUIPMENT CORPORATION



FOREWARD

-----

THE INTENT OF THIS MAINDEC INDEX IS TO SHOW THE LATEST DIAGNOSTIC PROGRAMS, AND THEIR LATEST MCO REVISION LEVEL. THE INDEX WILL BE PUBLISHED MONTHLY. THE COLUMN HEADINGS HAVE THE FOLLOWING MEANINGS.

|                        |   |
|------------------------|---|
| UPDATED                | AN * INDICATES THAT THIS MAINDEC HAS BEEN CHANGED SINCE THE LAST ISSUE OF THIS DOCUMENT.  |
| DESIGNATION            | MAINDEC CODE OF THE LATEST DIAGNOSTIC.  |
| REV                    | REVISION LEVEL OF THE PROGRAM.  |
| MCO                    | INDICATES THE LATEST MCO REVISION LEVEL OF THE PROGRAM.   |
| PRODUCT NAME           | TITLE OF THE DIAGNOSTIC REFERRED TO BY THE DESIGNATION CODE.  |
| EFFECTIVE DATE         | PROGRAM DATE  |
| OPTIONS TESTED         | THIS FIELD LISTS ALL OPTIONS TESTED BY THE DIAGNOSTIC PROGRAM.  |
| CPU PROGRAM RUNS IN    | INDICATES PROCESSOR PROGRAM IS DESIGNED TO RUN IN.  |
| CORE K TO LOAD AND RUN | THE MEMORY SIZE REQUIRED TO LOAD AND EXECUTE THE PROGRAM.   |
| MODES OF OPERATION     | EX = EXEC MODE<br>US = USER MODE<br>KE = KERNEL MODE<br>SY = SYSTEM EXERCISER<br>DM = DIAGNOSTIC MONITOR<br>SP = SPECIAL USER<br>ST = STAND ALONE |

DISTRIBUTION/SUPPORT  
CODE ALL DIAGNOSTICS LISTED IN THIS MAINDEC INDEX HAVE A DISTRIBUTION CODE OF G:  
(I.E.) ALL PROGRAMS ARE AVAILABLE THROUGH THE SDC.

SUPPORT CATEGORY CODES ARE AS FOLLOWS:

A = DIGITAL PROVIDES ON-SITE INSTALLATION SUPPORT SPECIFIED IN THE APPLICABLE SOFTWARE PRODUCT DESCRIPTION.

0 = DIGITAL PROVIDES PROBLEM REPORTING  
SERVICE.

ANY COMMENTS OR QUESTIONS ABOUT THIS INDEX PLEASE CONTACT  
RELEASE ENGINEERING, MAYNARD EXTENSION 4055.  
THANK YOU.

IDENTIFICATION

PRODUCT CODE:

PRODUCT NAME:

PDP- 8E MAINDEC INDEX BY APPLICATION



\*\*\*\*\*  
 \*\*\* APPLICATION: PROCESSOR \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME            | IEFFECTIVE:<br>I DATE I | OPTION(S)<br>TESTED | IPROC PROGRAMICORE K TOISYSTEMI<br>I RUNS IN ILOAD RUN IBASED IUF OPER IEXT ICODE | MODES | IXXDPI/D/S |
|-------------|---------|-------------------------|-------------------------|---------------------|---|-------|------------|
| M- 8E-D8A   | B       | INSTRUCTION TEST PART 1 | 5-10-71                 |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-D8B   | B       | INSTRUCTION TEST PART 2 | 8-15-74                 |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-D8G   | C       | RANDOM DCA TEST         | 6-11-71                 |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-D8H   | C       | RANDOM JMP TEST         | 6-11-71                 |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-D8I   | B       | BASIC JMP-JMS TEST      | 6-11-71                 |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-D8J   | C       | RANDOM JMP-JMS TEST     | 8-15-74                 |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-D9A   | A       | INSTRUCTION TEST PART 1 | 10-08-71 PMK-01         |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-D9B   | A       | INSTRUCTION TEST PART 2 | 10-08-71 PMK-01         |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-D9C   | A       | ADDER TEST              | 10-08-71 PMK-01         |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-D9D   | A       | RANDOM AND TEST         | 8-15-74 PMK-01          |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-D9E   | A       | RANDOM TAU TEST         | 8-15-74 PMK-01          |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-D9F   | A       | RANDOM ISZ TEST         | 8-15-74 PMK-01          |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-D9G   | A       | RANDOM DCA TEST         | 8-15-74 PMK-01          |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-D9H   | A       | RANDOM JMP TEST         | 8-15-74 PMK-01          |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-D9I   | A       | BASIC JMP-JMS TEST      | 8-15-74 PMK-01          |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-D9J   | A       | RANDOM JMP-JMS TEST     | 8-15-74 PMK-01          |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-DHAAA | A       | ADDER TEST              | 8-15-74                 |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-D8F   | C       | RANDOM ISZ TEST         | 6-11-71                 |                     | 8E  | 4K 4K | ST G/B     |

\*\*\*\*\*  
 \*\*\* APPLICATION: PROCESSOR OPTION \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                       | IEFFECTIVE:<br>I DATE I | OPTION(S)<br>TESTED | IPROC PROGRAMICORE K TOISYSTEMI<br>I RUNS IN ILOAD RUN IBASED IUF OPER IEXT ICODE | MODES | IXXDPI/D/S |
|-------------|---------|------------------------------------|-------------------------|---------------------|---|-------|------------|
| M- 8E-D8P   | C       | D88-E INTERPROCESSOR BUFFER        | 10-27-71 D88-E          |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-D8A   | B       | PLOTTER CONTROL AND DISPLAY (XY8E) | 5-18-71 XY8-E           |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-D8A   | C       | DK8E CLOCKS DIAGNOSTIC             | 10-08-71 DK8E           |                     | 8E  | 4K 4K | ST G/B     |
| M- 8E-D9M   | A       | PMK-01 KP8E POWER FAIL TEST        | 8-15-74 KP8-E           | /PMK-01             | 8E  | 4K 4K | ST G/B     |

\*\*\*\*\*  
 \*\*\* APPLICATION: MEMORY \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                        | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED               | PROC PROGRAM<br>RUNS IN | CORE K<br>LOAD RUN | TO SYSTEM<br>BASED | MODES<br>UF OPER | IXXD<br>TEXT | PID/S<br>CODE |
|-------------|---------|-------------------------------------|-------------------|-----------------------------------|-------------------------|--------------------|--------------------|------------------|--------------|---------------|
| M- 8E-D1A   | B       | MM8E 4K MEMORY CHECKERBOARD         | 6-07-71           |                                   | 8E                      | 4K                 | 4K                 | ST               |              | G/B           |
| M- 8E-D1E   | C       | PDP-8E MEMORY ADDRESS               | 6-11-71           |                                   | 8E                      | 4K                 | 4K                 | ST               |              | G/B           |
| M- 8E-D1G   | B       | PDP-8E MEMORY POWER ON/OFF TEST     | 6-11-71           |                                   | 8E                      | 4K                 | 4K                 | ST               |              | G/B           |
| M- 8E-D1I   | B       | M18-E BOOTSTRAP DIAG                | 1-17-72           | M18-E                             | 8E<br>8M<br>8F          | 4K                 | 4K                 | ST               |              | G/B           |
| M- 8E-D9K   | A       | MEMORY ADDRESS TEST                 | 10-08-71          | MM8-E /PMK-01 /<br>MM8-EH /MM8-EJ | 8E                      | 4K                 | 4K                 | ST               |              | G/B           |
| M- 8E-D9L   | A       | MM8-E 4K MEM CHECKRBD               | 8-15-74           | MM8-E /MM8-EH /<br>MM8-EJ /PMK-01 | 8E                      | 4K                 | 4K                 | ST               |              | G/B           |
| M- 8E-D9N   | A       | MEMORY POWER ON/OFF TEST            | 8-15-74           | MM8-E /MM8-EH /<br>MM8-EJ /PMK-01 | 8E                      | 4K                 | 4K                 | ST               |              | G/B           |
| M- 8E-D9P   | A       | JMP SELF TEST                       | 8-15-74           | MM8-E /MM8-EH /<br>MM8-EJ /PMK-01 | 8E                      | 4K                 | 4K                 | ST               |              | G/B           |
| M- 8E-DHMPA | A       | PDP-8E EXTENDED MEMORY PARITY TEST  | 2-29-72           | KM8-E                             | 8E                      | 8K                 | 8K                 | ST               |              | G/B           |
| M- 8E-DIF   | B       | PDP-8E EXTENDED MEMORY ADDRESS TEST | 6-14-71           | KM8-E                             | 8E                      | 8K                 | 8K                 | ST               |              | G/B           |
| M- 8E-DON   | B       | PDP-8E JMP SELF                     | 1-19-71           |                                   | 8E                      | 4K                 | 4K                 | ST               |              | G/B           |

\*\*\*\*\*  
 \*\*\* APPLICATION: CARD \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                        | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED | PROC PROGRAM<br>RUNS IN | CORE K<br>LOAD RUN | TO SYSTEM<br>BASED | MODES<br>UF OPER | IXXD<br>TEXT | PID/S<br>CODE |
|-------------|---------|-------------------------------------|-------------------|---------------------|-------------------------|--------------------|--------------------|------------------|--------------|---------------|
| M- 8E-D20   | B       | 40 COL OPTICAL MARK CARD READER TES | 8-30-71           | CM8-E               | 8E                      | 4K                 | 4K                 | OT               |              | G/B           |



\*\*\*\*\*  
 \*\*\* APPLICATION: UTILITY \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME             | EFFECTIVE DATE | OPTION(S) TESTED | PROC PROGRAM RUNS IN | CORE K TO LOAD | SYSTEM I BASED | MODES I OF OPER | IXXD I/S | ID/S |
|-------------|---------|--------------------------|----------------|------------------|----------------------|----------------|----------------|-----------------|----------|------|
| M- 8E-XBINA | A       | SELF-START BINARY LOADER | 8-15-74        |                  | ALL 8E               | 4K             | 4K             | ST              |          | G/B  |
| D- 8E-EUZ   | C       | TO8E DECTAPE FORMATTER   | 8-15-74        |                  | 8E                   | 4K             | 4K             | ST              |          | G/B  |



IDENTIFICATION

PRODUCT CODE:

PRODUCT NAME:

PDP- 81 MAINDEC INDEX BY APPLICATION



\*\*\*\*\*  
 \*\*\* APPLICATION: PROCESSOR \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME            | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED | PROC PROGRAM<br>RUNS IN | CORE K TO<br>LOAD RUN | SYSTEM<br>BASED | MODES<br>OF OPEN | IXDPID/S<br>TEXT ICODE |
|-------------|---------|-------------------------|-------------------|---------------------|-------------------------|-----------------------|-----------------|------------------|------------------------|
| M- 8I-001   | C       | INSTRUCTION TEST PART 1 | 8-15-74           |                     | 8I                      | 4K 4K                 |                 | ST               | G/B                    |
| M- 8I-002   | B       | INSTRUCTION TEST PART 2 | 8-15-74           |                     | 8I                      | 4K 4K                 |                 | ST               | G/B                    |

\*\*\*\*\*  
 \*\*\* APPLICATION: PROCESSOR OPTION \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME               | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED | PROC PROGRAM<br>RUNS IN | CORE K TO<br>LOAD RUN | SYSTEM<br>BASED | MODES<br>OF OPEN | IXDPID/S<br>TEXT ICODE |
|-------------|---------|----------------------------|-------------------|---------------------|-------------------------|-----------------------|-----------------|------------------|------------------------|
| M- 8I-028   | A       | PDP-8I EAE TEST            | 5-15-68           | KE8-I               | 8I                      | 4K 4K                 |                 | ST               | G/B                    |
| M- 8I-00A   | A       | PDP-8I INSTRUCTION TEST 3A | 5-15-68           |                     | 8I                      | 4K 4K                 |                 | ST               | G/B                    |

\*\*\*\*\*  
 \*\*\* APPLICATION: MEMORY \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                  | IEFFECTIVE;<br>  DATE | OPTION(S)<br>TESTED | PROC PROGRAM;<br>  RUNS IN | CORE K TO<br>  LOAD RUN | SYSTEM;<br>  BASED | MODES<br>  OF OPER | IXXD<br>  EXT | ID/S<br>  CODE |
|-------------|---------|-------------------------------|-----------------------|---------------------|----------------------------|-------------------------|--------------------|--------------------|---------------|----------------|
| M- 8I-D4C   | A       | PDP-8I MEMORY PARITY IOT TEST | 8-15-74               | MP8-I               | 8I                         | 4K                      | 4K                 | ST                 |               | G/B            |

\*\*\*\*\*  
 \*\*\* APPLICATION: CLOCKS \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME           | IEFFECTIVE;<br>  DATE | OPTION(S)<br>TESTED | PROC PROGRAM;<br>  RUNS IN | CORE K TO<br>  LOAD RUN | SYSTEM;<br>  BASED | MODES<br>  OF OPER | IXXD<br>  EXT | ID/S<br>  CODE |
|-------------|---------|------------------------|-----------------------|---------------------|----------------------------|-------------------------|--------------------|--------------------|---------------|----------------|
| M- 8I-D8A   | D       | REAL TIME CLOCK (KW8I) | 10-21-68              | KW8-I               |                            | 4K                      | 4K                 | ST                 |               | G/B            |

\*\*\*\*\*  
 \*\*\* APPLICATION: CARU \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                    | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED | PROC PROGRAM<br>RUNS IN | CORE K<br>LOAD RUN | TO SYSTEM<br>BASED | MODES<br>OF OPER | IXXDPID/S<br>TEXT | ICODE |
|-------------|---------|---------------------------------|-------------------|---------------------|-------------------------|--------------------|--------------------|------------------|-------------------|-------|
| M- 8I-D2B   | A       | 40 COL OPTICAL MARK CARD READER | 9-22-70           | CM8-I               | 8I                      | 4K                 | 4K                 | ST               |                   | G/B   |

\*\*\*\*\*  
 \*\*\* APPLICATION: TERMINALS \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME       | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED | PROC PROGRAM<br>RUNS IN | CORE K<br>LOAD RUN | TO SYSTEM<br>BASED | MODES<br>OF OPER | IXXDPID/S<br>TEXT | ICODE |
|-------------|---------|--------------------|-------------------|---------------------|-------------------------|--------------------|--------------------|------------------|-------------------|-------|
| M- 8I-D6C   | E       | KV8I DISPLAY DIAGS | 8-05-68           | KV8-1               | 8I                      | 4K                 | 4K                 | ST               |                   | G/B   |

\*\*\*\*\*  
 \*\*\* APPLICATION: COMM. EQUIPMENT \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                 | IEFFECTIVE I<br>I DATE I | OPTION(S)<br>TESTED | I PROC PROGRAM I<br>I RUNS IN | ICORE K TO I<br>I LOAD RUN I | ISYSTEM I<br>I BASED I | IMODES I<br>IUF OPER I | IXXDPI/D S<br>IEXT ICODE |
|-------------|---------|------------------------------|--------------------------|---------------------|-------------------------------|------------------------------|------------------------|------------------------|--------------------------|
| M- 8I-D2C   | A       | 680/I TTY RELIABILITY TEST   | 5-19-70                  | DL8-I /680-1        | 8I                            | 4K                           | 4K                     | ST                     | G/B                      |
| M- 8I-D8B   | B       | DC08 ON LINE TEST (T2)       | 4-02-70                  | DC08                | 8I                            | 4K                           | 4K                     | ST                     | G/B                      |
| M- 8I-D8C   | A       | 689-AG CONTROL AND DATA TEST | 11-19-68                 | 689-AG              | 8I                            | 4K                           | 4K                     | ST                     | G/B                      |
| M- 8I-D8D   | A       | 689-AG ON-LINE DIAG EXERC    | 11-05-68                 | 689-AG              | 8I                            | 4K                           | 4K                     | ST                     | G/B                      |
| M- 8I-D8E   | A       | DC08F&DC08H OFF LINE TEST    | 3-09-70                  | DC08-F /DC08H       | 8I                            | 4K                           | 4K                     | ST                     | G/B                      |
| M- 8I-D8F   | A       | DC08F & DC08H ON LINE TEST   | 3-09-70                  | DC08-F /DC08-H      | 8I                            | 4K                           | 4K                     | ST                     | G/B                      |



IDENTIFICATION

PRODUCT CODE:

PRODUCT NAME:

PDP- 8L MAINDEC INDEX BY APPLICATION



\*\*\*\*\*  
 \*\*\* APPLICATION: PROCESSOR \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME        | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED | PROC PROGRAM<br>RUNS IN | CORE K TO<br>LOAD RUN | SYSTEM<br>BASED | MODES<br>OF OPER | IXXD<br>TEXT | ID/S<br>ICCODE |
|-------------|---------|---------------------|-------------------|---------------------|-------------------------|-----------------------|-----------------|------------------|--------------|----------------|
| M= 8L-00A   | B       | MEMORY PROTECT TEST | 5-06-71           |                     | 8L                      | 4K                    | 4K              | ST               |              | G/B            |

\*\*\*\*\*  
 \*\*\* APPLICATION: MEMORY \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                         | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED | PROC PROGRAM<br>RUNS IN | CORE K TO<br>LOAD RUN | SYSTEM<br>BASED | MODES<br>OF OPER | IXXD<br>TEXT | ID/S<br>ICCODE |
|-------------|---------|--------------------------------------|-------------------|---------------------|-------------------------|-----------------------|-----------------|------------------|--------------|----------------|
| M= 8L-D1G   | C       | PDP-8L EXTENDED MEMORY CONTROL (8K)  | 8-15-74           | KM8-L               | 8L                      | 4K                    | 8K              | ST               |              | G/B            |
| M= 8L-D1H   | A       | PDP-8L EXTENDED MEMORY CONTROL (12K) | 8-15-74           | KM8-L               | 8L                      | 4K                    | 8K              | ST               |              | G/B            |
| M= 8L-D5A   | A       | PDP-8L MEMORY PARITY IOT TEST        | 8-15-74           | MP8-L               | 8L                      | 4K                    | 4K              | ST               |              | G/B            |
| M= 8L-DEBMA | A       | VNOBEL                               | 8-15-74           | BM8-L               | ALL 8L                  | 4K                    | 4K              | ST               |              | G/B            |



IDENTIFICATION

PRODUCT CODE:

PRODUCT NAME:

PDP-8S MAINDEC INDEX BY APPLICATION



\*\*\*\*\*  
 \*\*\* APPLICATION: PROCESSOR \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME        | EFFECTIVE DATE | OPTION(S) TESTED | PROC PROGRAM RUNS IN | CORE K LOAD | SYSTEM BASED | MODES OF OPER | IXXDP/EXT | D/S CODE |
|-------------|---------|---------------------|----------------|------------------|----------------------|-------------|--------------|---------------|-----------|----------|
| M- 8S-001   | A       | INSTRUCTION TEST    | 8-15-74        |                  | 8S                   | 4K          | 4K           | ST            |           | G/B      |
| M- 8S-003   | A       | BASIC JMP-JMS TEST  | 8-15-74        |                  | 8S                   | 4K          | 4K           | ST            |           | G/B      |
| M- 8S-004   | A       | RANDOM JMP TEST     | 8-15-74        |                  | 8S                   | 4K          | 4K           | ST            |           | G/B      |
| M- 8S-005   | B       | RANDOM JMP-JMS TEST | 8-15-74        |                  | 8S                   | 4K          | 4K           | ST            |           | G/B      |
| M- 8S-006   | A       | RANDOM DCA TEST     | 8-15-74        |                  | 8S                   | 4K          | 4K           | ST            |           | G/B      |
| M- 8S-007   | A       | RANDOM ISZ TEST     | 8-15-74        |                  | 8S                   | 4K          | 4K           | ST            |           | G/B      |

\*\*\*\*\*  
 \*\*\* APPLICATION: PROCESSOR OPTION \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME            | EFFECTIVE DATE | OPTION(S) TESTED | PROC PROGRAM RUNS IN | CORE K LOAD | SYSTEM BASED | MODES OF OPER | IXXDP/EXT | D/S CODE |
|-------------|---------|-------------------------|----------------|------------------|----------------------|-------------|--------------|---------------|-----------|----------|
| M- 8S-088   | A       | DB8-S DATA BREAK TEST 1 | 9-15-67        | DB8-S            | 8S                   | 4K          | 4K           | ST            |           | G/B      |
| M- 8S-08C   | A       | DB8-S DATA BREAK TEST 2 | 6-15-67        | DB8-S            | 8S                   | 4K          | 4K           | ST            |           | G/B      |

\*\*\*\*\*  
 \*\*\* APPLICATION: MEMORY \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                   | IEFFECTIVE!<br>! DATE ! | OPTION(S)<br>TESTED | IPROC PHOGRAMICURE K TOISYSTEM!<br>! RUNS IN ! | !LOAD RUN !BASED !UF OPER ! | MODES | IXXDPI/D/S<br>!EXT !CODE |
|-------------|---------|--------------------------------|-------------------------|---------------------|--|-----------------------------|-------|--------------------------|
| M- 8S-D15   | A       | PDP-8S 4K SENSE AMPLIFIER TEST | 9-24-74                 |                     | 8S   | 4K 4K                       | ST    | G/B                      |
| M- 8S-D1L   | A       | PDP-8S MEMORY ADDRESS TEST     | 8-15-74                 |                     | 8S   | 4K 4K                       | ST    | G/B                      |
| M- 8S-D11   | J       | PDP-8S MEMORY ADDRESS TEST     | 8-15-74                 |                     | 8S   | 4K 4K                       | ST    | G/B                      |
| M- 8S-D15   | A       | PDP-8S 4K SENSE AMPLIFIER TEST | 8-15-74                 |                     | 8S   | 4K 4K                       | ST    | G/B                      |



IDENTIFICATION

PRODUCT CODE:

PRODUCT NAME:

PDP- X8 MAINDEC INDEX BY APPLICATION



\*\*\*\*\*  
 \*\*\* APPLICATION: SYS. EXERCISUR \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                        | IEFFECTIVE<br>  DATE | OPTION(S)<br>  TESTED       | PROC PROGRAMICURE<br>  RUNS IN | K TO SYSTEM <br> LOAD RUN  BASED  OF OPER  EXT  CODE | MODES<br> XXDP D/S | IXXDP D/S |
|-------------|---------|-------------------------------------|----------------------|-----------------------------|--------------------------------|--|--------------------|-----------|
| M= X8-DIGAC | A       | DEC/X8 SOFTWARE MODULE INTERFACE SP | 1-25-72              |                             | 08<br>8E<br>8I<br>8L<br>8M     |  | SY                 | G/B       |
| M= X8-DIXYA | A       | DEC/X8 MODULE "PLUTTER"             | 12-28-72             | XY8-E /XY12<br>VP8-L /VP8-I | 08<br>8I<br>8L<br>8E<br>8M     | 4K 4K 8F   | SY                 | G/B       |
| M= X8-DDTCA | A       | DEC/X8 MODULE "TC12LT"              | 1-25-72              | TC12                        | 12                             | 4K 4K  | SY                 | G/B       |
| M= X8-UHADA | A       | DEC/X8 MODULE "ADMSTT"              | 3-15-76              | MM01/MS/                    | 8E 8M<br>8F 8A                 | 4K 4K PDP-08   | SY                 | G/B       |
| M= X8-DHCRA | A       | DEC/X8 MODULE "CAM08E"              | 7-27-73              | CR8-E /CR8-F<br>CM8-E /     | 8E                             | 4K 4K  | SY                 | G/B       |
| M= X8-DHICA | A       | DEC/X8 MODULE "ICSX8"               | 6-15-75              | ICS-8                       | 8E<br>8M<br>8F<br>8L<br>8A     | 4K 4K  | SY                 | G/B       |
| M= X8-DHKEA | A       | DEC/X8 MODULE "EADDP"               | 1-25-72              | KE8-E                       | 8E<br>8M                       | 4K 4K  | SY                 | G/B       |
| M= X8-DHKRA | A       | DEC/X8 MODULE "RK8EDS"              | 9-07-72              | RK8-E +RK8-F<br>RK05 /RK05  | + 08<br>8I<br>8L<br>8E<br>8M   | 4K 4K  | SY                 | G/B       |
| M= X8-DHLGA | A       | DEC/X8 MODULE "LGP8"                | 5-01-77              | LGP-8                       | 8E 8F<br>8M 8A                 | 4K 4K PDP-8  | SY                 | G/B       |
| M= X8-DHRXA | B       | DEC/X8 MODULE "FLUPPY"              | 12-15-76             | RX8-E +RX01                 | 8E<br>8M<br>8F<br>8A           | 4K 4K  | SY                 | G/B       |
| M= X8-DHTAA | B       | DEC/X8 MODULE "TABECS"              | 10-15-73             | TAB-E U                     | 8E<br>8M                       | 4K 4K  | SY                 | G/B       |

\*\*\*\*\*  
 \*\*\* APPLICATION: SYS. EXERCISUR \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME           | IEFFECTIVE<br>  DATE | OPTION(S)<br>  TESTED      | PROC PROGRAMICURE<br>  RUNS IN | K TO SYSTEM <br> LOAD RUN  BASED  OF OPER  EXT  CODE | MODES<br> XXDP D/S | IXXDP D/S |
|-------------|---------|------------------------|----------------------|----------------------------|--------------------------------|--|--------------------|-----------|
| M= X8-DHTDA | B       | DEC/X8 MODULE "TD8EDT" | 3-15-76              | TD8-E                      | 8F<br>8E<br>8M<br>8F           | 4K 4K 04   | SY                 | G/B       |
| M= X8-DHTMA | B       | DEC/X8 MODULE "TM8EMT" | 11-17-73             | TM8-E                      | 08<br>8I<br>8L<br>8E<br>12     | 4K 4K  | SY                 | G/B       |
| M= X8-DHVCA | A       | DEC/X8 MODULE "VCAD8E" | 12-15-72             | VC8-E /ADB-E<br>VR14 AM8-E | / 08<br>8I<br>8L<br>8E<br>8M   | 4K 4K  | SY                 | G/B       |
| M= X8-DHVTA | A       | DEC/X8 MODULE "VT8E"   | 12-04-72             | VT8-E                      | 08<br>8I<br>8L<br>8E<br>8M     | 4K 4K  | SY                 | G/B       |
| M= X8-DICDA | A       | DEC/X8 MODULE "CDP8"   | 5-01-73              | CDP                        | 08<br>8I<br>8L<br>8E<br>8M     | 4K 4K  | SY                 | G/B       |
| M= X8-DIDCA | A       | DEC/X8 MODULE "DC02"   | 2-26-72              | DC02                       | 08<br>8I<br>8L<br>8E<br>8M     | 4K 4K  | SY                 | G/B       |
| M= X8-DIDCB | A       | DEC/X8 MODULE "DC08A"  | 12-27-72             | DC08 /DL8-I                | 8I                             | 4K 4K  | SY                 | G/B       |
| M= X8-DIDFA | B       | DEC/X8 MODULE "DF32DS" | 12-12-73             | DF32                       | 08<br>8I<br>8L<br>8E<br>8M     | 4K 4K  | SY                 | G/B       |
| M= X8-DIDKA | C       | DEC/X8 MODULE "TIMERA" | 1-26-73              | DK8-E /KW8-1               | / 08                           | 4K 4K  | SY                 | G/B       |

\*\*\*\*\*  
 \*\*\* APPLICATION: SYS. EXERCISUR \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME            | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED     | PROC PROGRAM<br>CORE K TO<br>SYSTEM | MODES<br>LOAD RUN<br>BASED OF<br>OPER | IXXD<br>PID/S | TEXT<br>ICODE |
|-------------|---------|-------------------------|-------------------|-------------------------|-------------------------------------|---------------------------------------|---------------|---------------|
|             |         |                         |                   | KW12-A /KW8-L           | 8I<br>8L<br>8E<br>8M                |                                       |               |               |
| M- X8-DIFPA | A       | DEC/X8 MODULE "FPP12"   | 4-01-72           | FPP12                   | 0B<br>8I<br>8L<br>8E<br>8M          | 4K 4K                                 | SY            | G/B           |
| M- X8-DIKAA | A       | DEC/X8 MODULE "MR108A"  | 1-26-72           |                         | 0B<br>8I<br>8L<br>8E<br>8M          | 4K 4K                                 | SY            | G/B           |
| M- X8-DIKAC | B       | DEC/X8 MODULE "OPERATE" | 4-21-72           |                         | 0B<br>8I<br>8L<br>8E<br>8F          | 4K 4K                                 | SY            | G/B           |
| M- X8-DIKAD | B       | DEC/X8 MODULE "NOTFUN"  | 5-18-72           |                         | 0B<br>8I<br>8L<br>8E<br>8M          | 4K 4K                                 | SY            | G/B           |
| M- X8-DIKEA | B       | DEC/X8 MODULE "EALALL"  | 9-07-72           | KE8-E                   | 8E<br>8M                            | 4K 4K                                 | SY            | G/B           |
| M- X8-DIKLA | A       | DEC/X8 MODULE "MULTTY"  | 4-03-72           | KL8-E /KL8-J            | 8I<br>8L<br>0B<br>8E<br>8M          | 4K 4K                                 | SY            | G/B           |
| M- X8-DIKLB | B       | DEC/X8 MODULE "TTYLUP"  | 5-15-75           | KL8-E /KL8-J /<br>KL8-M | 8E 8M<br>8F 8I<br>8L 8A<br>8 12     | 4K 4K                                 | SY DG         | G/B           |
| M- X8-DIKLC | A       | DEC/X8 MODULE "MULSLU"  | 3-15-76           | KL8-A /                 | 8E 8M<br>8F 8A                      | 4K 4K                                 | PDP-8 SY      | G/B           |

\*\*\*\*\*  
 \*\*\* APPLICATION: SYS. EXERCISUR \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                        | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED                           | PROC PROGRAM<br>CORE K TO<br>SYSTEM | MODES<br>LOAD RUN<br>BASED OF<br>OPER | IXXD<br>PID/S | TEXT<br>ICODE |
|-------------|---------|-------------------------------------|-------------------|---|-------------------------------------|---------------------------------------|---------------|---------------|
| M- X8-DIKLD | A       | DEC/X8 MODULE "MSLULP"              | 12-15-76          | KL8-A   | 8E<br>8M                            | 4K 4K                                 | PDP-8 SY      | G/B           |
| M- X8-DILPA | B       | DEC/X8 MODULE "PRNTER"              | 4-28-72           | LP08 +LE8 /LS8-E<br>LS8-E                     | 8I<br>0B<br>8L<br>8E<br>8M          | 4K 4K                                 | SY            | G/B           |
| M- X8-DIPAA | A       | DEC/X8 MODULE "TYPSET"              | 11-02-73          | DC8-E /DC8-L /<br>DC12 /DA60 /<br>DC8-I /PA61 | 8I<br>0B<br>8L<br>8E<br>8M          | 4K 4K                                 | SY            | G/B           |
| M- X8-DIPCA | A       | DEC/X8 MODULE "HSMHSP"              | 1-25-72           | PC8-E /PC12 /<br>PC8-L /PC8-I                 | 0B<br>8I<br>8L<br>8E<br>8M          | 4K 4K                                 | SY            | G/B           |
| M- X8-DIQAA | C       | PROCEDURAL ABSTRACT                 | 11-19-73          |   | 0B<br>8I<br>8L<br>8E<br>8M          |                                       | SY            | G/B           |
| M- X8-DIQAB | C       | DEC/X8 USERS GUIDE + MON/BUILDER    | 10-31-73          |   | 0B<br>8I<br>8L<br>8E<br>8M          | 4K 4/8K                               | SY            | G/B           |
| M- X8-DIQAC | A       | DEC/X8 SOFTWARE MODULE INTERFACE SP | 1-25-72           |   | 0B<br>8E<br>8I<br>8L<br>8M          |                                       | SY            | G/B           |
| M- X8-DIQAF | J       | DEC/X8 SOFTWARE MODULE INDEX        | 8-01-77           |   | 0B<br>8I<br>8L<br>8E<br>8M          |                                       | SY            | G/B           |

\*\*\*\*\*  
 \*\*\* APPLICATION: SYS, EXERCISUR \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                       | EFFECTIVE<br>DATE      | OPTION(S)<br>TESTED | PROC PROGRAM<br>CORE K     | TO SYSTEM<br>MODES | IXXDPID/S |
|-------------|---------|------------------------------------|------------------------|---------------------|----------------------------|--------------------|-----------|
| M= X8-DIRFA | A       | DEC/X8 MODULE "RF08DS"             | 1-25-72 RF08           |                     | 08<br>8I<br>8L<br>8E<br>12 | 4K 4K SY           | G/B       |
| M= X8-DIRKA | A       | DEC/X8 MODULE "RK08DS"             | 8-15-74 RK08           |                     | 08<br>8I<br>8L<br>8E<br>12 | 4K 4K SY           | G/B       |
| M= X8-DITCA | B       | DEC/X8 MODULE "TC01DT"             | 9-07-72 TC01           |                     | 08<br>8I<br>8L<br>8E<br>12 | 4K 4K SY           | G/B       |
| M= X8-DITCB | C       | DEC/X8 MODULE "TC08MT"             | 9-07-72 TC08           |                     | 08<br>8I<br>8L<br>8E<br>12 | 4K 4K SY           | G/B       |
| M= X8-DJFPA | A       | DEC/X8 MODULE "FPP8-A"             | 12-15-76 FPP8-A /      |                     | 8E<br>8A                   | 4K 4K PDP-8 SY     | G/B       |
| A= X8-DIQAB | A       | APT-8 SYSTEM DEC/X8                | 10-15-75 DEC/X8 /APT-8 |                     | ALL08                      | 8K 8K SY DG        | G/B       |
| D= X8-DIQAD | C       | DEC/X8 DETAILED CONCEPTS + METHODS | 10-31-73               |                     | 08<br>8I<br>8L<br>8M<br>8E | SY                 | G/B       |

\*\*\*\*\*  
 \*\*\* APPLICATION: DIAGNOSTIC PKG \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME         | EFFECTIVE<br>DATE    | OPTION(S)<br>TESTED | PROC PROGRAM<br>CORE K | TO SYSTEM<br>MODES | IXXDPID/S |
|-------------|---------|----------------------|----------------------|---------------------|------------------------|--------------------|-----------|
| M= X8-DDGAA | L       | DEC/X8 FILE LINCTAPE | 8-01-77 TC12<br>TU56 | /TU55 / ALL 12      | 8K 8K                  | SY                 | G/B       |
| M= X8-DIQAE | L       | DEC/X8 DECTAPE       | 8-01-77 TC08<br>TU55 | /TC01 / 12<br>/TU56 | 8<br>8I<br>8L<br>8E    | 8K 8K SY           | G/B       |
| M= X8-DJRXA | F       | DEC/X8 FILE "FLOPPY" | 8-01-77 RX8-E        | +RX01               | 8E 8M<br>8F 8A         | 8K 8K SY           | G/B       |




IDENTIFICATION

PRODUCT CODE:

PRODUCT NAME:

PDP-08 MAINDEC INDEX BY APPLICATION





\*\*\*\*\*  
 \*\*\* APPLICATION: DOCUMENT \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME            | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED | PROC PROGRAM<br>CORE K TO<br>SYSTEM | MODES<br>IXDPID/S | LOAD RUN<br>IBASED | OF OPER<br>TEXT | ICODE |
|-------------|---------|-------------------------|-------------------|---------------------|-------------------------------------|-------------------|--------------------|-----------------|-------|
| M- 08-DHMEA | B       | PDP-8 DIAGNOSTIC MEDIUM | 7-15-75           | RK8-E<br>RX8-E      | +RK05 / ALL 08<br>+RX01             | BK BK             |                    |                 | G/B   |
| M- 08-DIQAC | E       | PDP-8 MAINDEC INDEX     | 8-01-77           |                     |                                     |                   |                    |                 | G/B   |
| D- 08-ECLMA | A       | CL8 MAINTENANCE GUIDE   | 6-15-75           | CL8<br>CMS1         | /DS310 / CL8<br>/CLASSIC CMS1 CLASS |                   |                    | UT              | G/B   |

\*\*\*\*\*  
 \*\*\* APPLICATION: MODULE TEST \*\*\*  
 \*\*\*\*\*

| DESIGNATION  | REV/MCO | PRODUCT NAME                        | EFFECTIVE DATE | OPTION(S) TESTED                      | PROC PROGRAM CORE K TO SYSTEM | MODES           | IXXDPID/S |
|--------------|---------|-------------------------------------|----------------|---------------------------------------|-------------------------------|-----------------|-----------|
| A- 08-DHMB A | B 0     | 2223 8K8AA MEMORY EXERCISER PROGRAM | 9-15-75        | 2223-D G649<br>MM8AB +G650<br>M219-A, | + PDP-8E<br>+                 | 20K 20K PDP8 ST | G/B       |
| A- 08-QHLAA  | G 0     | LA36 POWER SUPPLY TEST              | 4-15-76        |                                       | KK8E                          | 4K 4K PDP8 ST   | G/B       |

\*\*\*\*\*  
 \*\*\* APPLICATION: PROCESSOR \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                        | EFFECTIVE DATE | OPTION(S) TESTED            | PROC PROGRAM CORE K TO SYSTEM | MODES           | IXXDPID/S |
|-------------|---------|-------------------------------------|----------------|-----------------------------|-------------------------------|-----------------|-----------|
| M- 08-D02   | B       | INSTRUCTION TEST PART 2B            | 1-12-68        |                             | 08                            | 4K 4K ST        | G/B       |
| M- 08-D03   | A       | BASIC JMP-JMS TEST                  | 4-01-67        |                             | 08                            | 4K 4K ST        | G/B       |
| M- 08-D04   | B       | RANDOM JMP TEST                     | 1-12-68        |                             | 08                            | 4K 4K ST        | G/B       |
| M- 08-D05   | B       | RANDOM JMP-JMS TEST                 | 1-12-68        |                             | 08                            | 4K 4K ST        | G/B       |
| M- 08-D07   | B       | RANDOM ISZ TEST                     | 12-28-67       |                             | 08                            | 4K 4K ST        | G/B       |
| M- 08-DHKAA | B       | 8E ADDER TESTS                      | 11-15-75       |                             |                               | 4K 4K DG ST     | G/B       |
| M- 08-DHKAB | A       | RANDOM AND TEST                     | 4-12-73        |                             | 0E                            | 4K 4K ST        | G/B       |
| M- 08-DHKAF | A 0     | PDP-8/E INSTRUCTION TEST 1          | 7-15-75        |                             | ALL 08                        | 4K 4K DG ST     | G/B       |
| M- 08-DHKAG | A       | PDP-8/E INSTRUCTION TEST 2          | 12-15-75       | 08SOLETES:M 0E              | D08B                          | 4K 4K DG ST     | G/B       |
| M- 08-DIKAA | A       | RANDOM TAD TEST                     | 12-15-76       |                             | ALL 08                        | 4K 4K PDP-8 ST  | G/B       |
|             |         |                                     |                | 08SOLETES:M 08              | D0E                           |                 |           |
| M- 08-DIKIA | A       | PDP-8 INSTR TST PRT2A               | 5-01-77        |                             | 08 0E<br>0M 0F<br>0L 0A<br>0I | 4K 4K PDP-08 ST | G/B       |
| M- 08-DJKKA | C       | PDP-8/A CPU TEST                    | 5-01-77        | PDP-8/A ACT-8/A/<br>CPU-XOR | PDP-8A                        | 1K 1K ST        | G/B       |
| M- 08-DJKKB | A       | PDP-8A CPU TEST WITH CONSOLE PACKAG | 7-15-75        |                             | 8E-8A                         | 4K 4K PDP8 ST   | G/B       |
| M- 08-DKVTA | A       | VT78 MOS MEMORY DIAGNOSTIC          | 8-01-77        | VT78                        | VT78                          | ST              | G/B       |
| M- 08-DKVTB | A       | VT78 CPU DIAGNOSTIC                 | 8-01-77        | VT78                        | VT78                          | ST              | G/B       |

\*\*\*\*\*  
 \*\*\* APPLICATION: PROCESSOR OPTION \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                   | EFFECTIVE DATE | OPTION(S) TESTED       | PROC PROGRAM RUNS IN | CORE LOAD | SYSTEM K TO BASED | MODES OF OPER | IXXDP/TEXT | D/S CODE |
|-------------|---------|--------------------------------|----------------|------------------------|----------------------|-----------|-------------------|---------------|------------|----------|
| M= 08-D0A   | A       | INSTRUCTION TEST (EAE) PT.3A   | 8-06-74        | KE8-E                  | 0E                   | 4K        | 4K                | ST            |            | G/B      |
| M= 08-D0B   | A       | INSTRUCTION TEST (EAE) PT.3B   | 8-06-74        | KE8-E                  | 0E                   | 4K        | 4K                | ST            |            | G/B      |
| M= 08-D1K   | B       | KP81/KR01 POWER FAIL TEST      | 2-02-71        | KP8-I /KR01            | 0B<br>0I             | 4K        | 4K                | ST            |            | G/B      |
| M= 08-D6C   | C       | CALCOMP PLOTTER TEST           | 4-23-69        | VP8-I                  | 0B<br>0I<br>0L       | 4K        | 4K                |               |            | G/B      |
| M= 08-D6G   | C       | A/D CALIBRATION CHECK          | 8-06-74        | AF01A /ADC1            | 0B<br>0I<br>0S       | 4K        | 4K                |               |            | G/B      |
| M= 08-D6H   | A       | A/D DIAGNOSTIC AND DEMO        | 8-06-74        | AF04A                  | 0B                   | 4K        | 4K                | ST            |            | G/B      |
| M= 08-D6J   | D       | AD08 DIAGNOSTIC                | 8-06-74        | AD08                   | 0B                   | 4K        | 4K                | ST            |            | G/B      |
| M= 08-D6K   | C       | VC8I 340 DISPLAY TEST          | 12-01-70       | VC8-I                  | 0I                   | 4K        | 4K                |               |            | G/B      |
| M= 08-D6M   | A       | VS38 DISPLAY DIAGNOSTIC        | 8-06-74        | 338 /VS38              | 0                    | 4K        | 4K                | ST            |            | G/B      |
| M= 08-D6Q   | A       | LOW LEVEL MULTIPLEXER          | 8-06-74        | AM03                   | 0B                   | 4K        | 4K                | ST            |            | G/B      |
| M= 08-D6T   | A       | AA05/AA07 CALIBRATION CHECK    | 12-18-68       | AA05 /AA07             | 0B<br>0I<br>0S       | 4K        | 4K                | ST            |            | G/B      |
| M= 08-D6U   | B       | AD01-A DIAGNOSTIC              | 9-24-74        | AD01                   | 0I                   | 4K        | 4K                | ST            |            | G/B      |
| M= 08-D6W   | B       | AA50 D/A CONVERTER             | 9-24-74        | AA50                   | 0B                   | 4K        | 4K                | ST            |            | G/B      |
| M= 08-D6 6U | B       | AD01-A DIAGNOSTIC              | 8-06-74        | AD01                   | 0I                   | 4K        | 4K                | ST            |            | G/B      |
| M= 08-D8B   | A       | ONLINE IBMS360 TO DX08/9 EXER. | 5-21-74        | 338 DISPLAY<br>BUFFERE |                      | 4K        | 4K                | ST            |            | G/B      |
| M= 08-D8G   | A       | D080 TEST                      | 8-12-74        | DB80                   | 0B                   | 4K        | 4K                | ST            |            | G/B      |
| M= 08-D8I   | B       | D080A TEST                     | 8-06-74        | DB08                   | 0B                   | 4K        | 4K                | ST            |            | G/B      |
| M= 08-D8M   | B       | VA36 CHARACTER GENERATOR TEST  | 8-06-74        | VA38                   | 0                    | 4K        | 4K                | ST            |            | G/B      |
| M= 08-D8S   | C       | DM01 EXERCISER                 | 8-06-74        | DM01                   | 0B                   | 4K        | 4K                | ST            |            | G/B      |

\*\*\*\*\*  
 \*\*\* APPLICATION: PROCESSOR OPTION \*\*\*  
 \*\*\*\*\*

| DESIGNATION  | REV/MCO | PRODUCT NAME                        | EFFECTIVE DATE | OPTION(S) TESTED                  | PROC PROGRAM RUNS IN | CORE LOAD | SYSTEM K TO BASED | MODES OF OPER                       | IXXDP/TEXT | D/S CODE |
|--------------|---------|-------------------------------------|----------------|-----------------------------------|----------------------|-----------|-------------------|-------------------------------------|------------|----------|
| M= 08-D8T    | A       | SIM360/IBMS360 CHANNEL SIMULATOR    | 8-06-74        | DX08 /DX38 / 0<br>DX56            |                      | 4K        | 4K                | ST OT                               |            | G/B      |
| M= 08-D8U    | B       | DX08-S360 DIAGNOSTIC EXERCISER      | 8-06-74        | DX08 /DX38 / 0<br>DX56            |                      | 4K        | 4K                | ST OT                               |            | G/B      |
| M= 08-D8X    | A       | XOR BUFFER OPTION DIAGNOSTIC        | 8-06-74        | CPU-XOR BUFFER                    | 0B                   | 4K        | 4K                | ST                                  |            | G/B      |
| M= 08-D9M    | A       | IOT AND DATA TEST 6501              | 8-06-74        | DP01A                             | 0B                   | 4K        | 4K                | ST                                  |            | G/B      |
| M= 08-D9N    | A       | IOT AND DATA TEST 6501              | 8-06-74        | DP01A                             | 0B                   | 4K        | 4K                | ST                                  |            | G/B      |
| M= 08-D9P    | A       | IOT AND DATA TEST 6601              | 8-06-74        | DP01A                             | 0B                   | 4K        | 4K                | ST                                  |            | G/B      |
| M= 08-D9Q    | A       | IOT AND DATA TEST 6701              | 8-06-74        | DP01A                             | 0B                   | 4K        | 4K                | ST                                  |            | G/B      |
| M= 08-DGDR A | A       | DR8-EA DIAGNOSTIC TPL PDP-8         | 8-06-74        | DR8-EA +DR8-E                     | 0B<br>0I<br>0L       | 4K        | 4K                | ST                                  |            | G/B      |
| M= 08-DHADA  | A       | AD8E, AM8E A/D CONVERTER + MUX      | 8-06-74        | ADME /AM8E                        | 0E                   | 4K        | 4K                | ST                                  |            | G/B      |
| M= 08-DHAFA  | A       | CDP/GLC-8E DIAGNOSTIC               | 8-06-74        | CDP/GLC                           | 0B                   | 4K        | 4K                | ST                                  |            | G/B      |
| M= 08-DHDPA  | D       | DP8-EA/EB SYNC. MODEM INTERFACE DIA | 5-01-77        | DP8-EA /DP8-EB / 0/A<br>DP8-E 0/M | 0/E                  | 4K        | 4K                | ST                                  |            | G/B      |
| M= 08-DHDRA  | B       | DR8-EA 12 CHANNEL BUFFERED DIGITAL  | 11-15-75       | DR8-EA                            | 0E                   | 4K        | 4K                | UG ST                               |            | G/B      |
| M= 08-DHKEA  | B       | EAE EXTENDED MEMORY EXERCISER       | 8-15-76        | KE8-A                             | ALL 0B               | 4K        | 4K                | PUP-8 SU                            |            | G/B      |
| M= 08-DHKEB  | A       | KE8-E (EAE) INSTRUCTION TEST 1      | 8-15-76        | KE8-A<br>OBSOLETES:IM 8E          | ALL 0B<br>00L        | 4K        | 4K                | PDP-8 ST                            |            | G/B      |
| M= 08-DHKEC  | A       | KE8-E (EAE) INSTRUCTION TEST 2      | 8-15-76        | KE8-E<br>OBSOLETES:IM 8E          | ALL 0B<br>D0M        | 4K        | 4K                | PDP-8 ST<br>1-8E -D0LA<br>M=8E -D0L |            | G/B      |
| M= 08-DHKIC  | C       | DOUBLE BUF ASYNC INTERFACE DIAG     | 3-26-73        | KL8-F                             | 0E<br>0M<br>0F       | 4K        | 4K                |                                     |            | G/B      |
| M= 08-DHKLA  | A       | KL8M MODEM CONTROL DIAGNOSTIC       | 6-26-72        | KL8-M                             | 0E<br>0M<br>0F       | 4K        | 4K                |                                     |            | G/B      |

\*\*\*\*\*  
 \*\*\* APPLICATION: PROCESSOR OPTION \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                          | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED         | PROC PROGRAM<br>RUNS IN | CORE K<br>LOAD RUN | SYSTEM<br>BASED | MODES<br>OF OPER | IXXD<br>TEXT | ID/S<br>CODE |
|-------------|---------|---------------------------------------|-------------------|-----------------------------|-------------------------|--------------------|-----------------|------------------|--------------|--------------|
| M-08-DHKLB  | B 1     | KL8M KL8E/F DC08H ONLINE TEST         | 10-15-75          | KL8-E /DC08H / KL8-M /KL8-F | BE 0M 0F 0A             | 4K 4K              |                 | ST               |              | G/B          |
| M-08-DHKLC  | D       | KL8-F DBLE BUFFERED ASYNC INTERFACE   | 5-01-77           | KL8-F                       | ALL 08                  | 4K 4K              |                 | ST               |              | G/B          |
| M-08-DHKLD  | A       | BE TTY & KL8 ASYNC DATA CONT          | 4-06-72           | KL8 +ASR-33                 | BE 0M 0F                | 4K 4K              |                 | ST               |              | G/B          |
| M-08-DHKPA  | B       | POWER FAIL/AUTO RESTART TEST          | 4-06-73           | KP8-L                       | BE                      | 4K 4K              |                 | ST               |              | G/B          |
| M-08-DHYCA  | A       | VC8E DISPLAY DIAGNOSTIC               | 3-01-73           | VC8-E                       | BE 0M 0F                | 4K 4K              |                 | ST               |              | G/B          |
| M-08-DHVTB  | B       | VT8-E VIDEO DISPLAY TEST              | 8-06-74           | VT8-E                       | BE                      | 4K 4K              |                 | ST               |              | G/B          |
| M-08-DHYTB  | A       | VT8-E VIDEO DISPLAY TEST 2            | 8-06-74           | VT8-E                       | BE                      | 4K 4K              |                 | ST               |              | G/B          |
| M-08-DIADF  | A       | ADU01 DIAGNOSTIC                      | 8-06-74           | ADV01                       |                         | 4K 4K              |                 | ST               |              | G/B          |
| M-08-DIAFB  | A       | AFC8 DIAGNOSTIC                       | 8-06-74           | AFC-8                       | 0I 0L                   | 4K 4K              |                 | ST               |              | G/B          |
| M-08-DIDBA  | A       | D08-E                                 | 5-01-77           | U08-E                       | ALL 08                  |                    |                 | ST               |              | G/B          |
| M-08-DIUDA  | B       | U0C8 SYSTEM FUNCTION EXERCISER        | 8-06-74           | UDC-8                       | ALL 08                  | 4K 4K              |                 | ST               |              | G/B          |
| M-08-DIVTB  | A       | 0 VT20 HOST COMPUTER PROGRAM          | 7-21-74           | KL8-JA                      | ALL 08                  | 4K 8K              |                 | DT               |              | G/B          |
| M-08-DJADA  | C       | 0 A/D CONVERTER MULTIPLEXER DIAGNOSTI | 5-15-76           | AD0A                        | ALL 08                  | 4K 4K              |                 | PDP-8 ST         |              | G/B          |
| M-08-DJCLA  | A       | CL8 OPTION TEST 1 AND 2               | 8-15-75           | DKC8-AA+KM8-A               | 0A                      | 4K 4K              |                 | ST               |              | G/B          |
| M-08-DJFPA  | A       | FPP8-A DIAGNOSTIC                     | 8-15-76           | FPP /                       | 0A                      |                    |                 | PDP-8 ST         |              | G/B          |
| M-08-DJFPB  | B       | FPP-8A INSTR, TEST AND DATA EX.       | 5-01-77           | FPP-8A /                    | 0A 0E                   | 8K 8K              |                 | PDP-8 ST         |              | G/B          |
| *M-08-DJKLA | C       | 0 KL8-A MULTIPLE SERIAL LINE UNIT DIA | 9-15-76           | KL8-A/A/APT-8/A             | 0A                      | 4K 4K              |                 | PDP-8 ST         |              | G/B          |
| M-08-DJMRB  | A       | MR8-SA ROM MAINTENANCE DIAG.          | 8-01-77           | MR8-SA                      | 0A                      |                    |                 | PDP-8 ST         |              | G/B          |
| M-08-DJMRC  | A       | MR8-SA ROM MAINTENANCE DIAG.          | 8-01-77           | MR8-SA                      | 0A                      |                    |                 |                  |              | G/B          |

\*\*\*\*\*  
 \*\*\* APPLICATION: MEMORY \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                          | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED                         | PROC PROGRAM<br>RUNS IN | CORE K<br>LOAD RUN | SYSTEM<br>BASED | MODES<br>OF OPER | IXXD<br>TEXT | ID/S<br>CODE |
|-------------|---------|---------------------------------------|-------------------|---|-------------------------|--------------------|-----------------|------------------|--------------|--------------|
| M-08-D1A    | C       | MEMORY POWER ON/OFF TEST              | 9-16-68           |   | 08                      | 4K 4K              |                 | ST               |              | G/B          |
| M-08-D1E    | C       | EXTENDED MEMORY CHECKERBOARD          | 8-12-74           | MM8 /MM8-I                                  | 08 0I                   | 8K 8K              |                 | ST               |              | G/B          |
| M-08-D1H    | A       | EXTENDED MEMORY ADDRESS TEST          | 8-12-74           | MM8 /MM8-I                                  | 08 0I                   | 8K 8K              |                 | ST               |              | G/B          |
| M-08-D1L    | 2       | BASIC MEMORY CHECKERBOARD (HIGH)      | 8-12-74           |   | 0                       | 4K 4K              |                 | ST               |              | G/B          |
| M-08-D1M    | A       | MEMORY ADDRESS TEST                   | 2-16-71           |   | 08                      | 4K 4K              |                 | ST               |              | G/B          |
| M-08-D4A    | 2       | 0/I, 8 BASIC PARITY CHECKERBOARD      | 8-12-74           | MP8 /MP8-I                                  | 08 0I                   | 4K 4K              |                 | ST               |              | G/B          |
| M-08-D4B    | A       | EXTENDED MEMORY PARITY TEST           | 8-12-74           | MP8 /MP8-I                                  | 08 0I                   | 8K 8K              |                 | ST               |              | G/B          |
| M-08-DDBMA  | A       | 0 0M812-I EXT MEM DATA & CKERBD TEST  | 7-21-74           | 0M812-I                                     | 0I 12                   | 4K 32K             |                 | ST               |              | G/B          |
| M-08-DGMCA  | A       | EXTENDED MEMORY CONTRUL               | 3-29-73           | MM8-I /MM8-S ME8-S /                        | 08 0I 0S                | 8K 8K              |                 | ST               |              | G/B          |
| M-08-DHKAC  | A       | 0 MM8E MEMORY CHECKERBOARD            | 7-15-75           |   | 0E 0M 0F                | 4K 4K              |                 | 0G ST            |              | G/B          |
| M-08-DHKAD  | A       | 0 MEMORY ADDRESS TEST                 | 7-15-75           |   | ALL 08                  | 4K 4K              |                 | 0G ST            |              | G/B          |
| M-08-DHKMA  | C       | PDP-8E EXTENDED MEMORY DATA & CHECK   | 2-15-76           | KM8-E /KM8-A / PDP-8A /PDP-8E / APT-8A /CL8 | 0E 0M 0F 0A             | 4K 8K              |                 | 0G ST            |              | G/B          |
| M-08-DHKMC  | B       | 0 PDP-8E EXTENDED MEMORY ADDRESS TEST | 5-15-76           | KM8-E /IM8-A / APT-8A                       | 0E 0M 0F 0A             | 4K 8K              |                 | PDP-8 0G ST      |              | G/B          |
| M-08-DHMCA  | B       | PDP-8E MEM EXT. AND T,S. CONTROL TE   | 12-15-76          | KM8-E                                       | 0E                      | 4K 4K              |                 | ST               |              | G/B          |
| M-08-DHMRA  | A       | ROM CONTENTS                          | 5-18-72           | MR8-E                                       | 0E                      | 4K 4K              |                 | ST               |              | G/B          |
| M-08-DHMFB  | B       | MR8-EA READ ONLY MEMORY TEST          | 8-01-77           | MR8-E                                       | 0E                      | 4K 4K              |                 | ST               |              | G/B          |

\*\*\*\*\*  
 \*\*\* APPLICATION: MEMORY \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                        | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED                                    | PROC PROGRAM<br>RUNS IN | CORE K<br>LOAD RUN | TO SYSTEM<br>BASED OF | MODES<br>OPER | IXXDPID/S<br>TEXT ICODE |
|-------------|---------|-------------------------------------|-------------------|--|-------------------------|--------------------|-----------------------|---------------|-------------------------|
| M- 08-DHMRP | A       | MR8-F8 2K PROM INTERNAL TEST        | 7-21-74           | MR8-FB   | 8E                      | 2K 2K              |                       | ST            | G/B                     |
| M- 08-DHPBA | A       | PROM BLASTER PROGRAM                | 12-15-75          | MR873A   |                         | 4K 4K              |                       | ST            | G/B                     |
| M- 08-DJMRA | A       | MP8-A ROM COMPARE TEST              | 10-15-75          | MR8-A  | 8A                      | 1K 1K              |                       | ST            | G/B                     |
| M- 08-DJMSA | A       | 1-4K MS8-A MOS MEMORY TEST          | 10-15-74          | MS8-A /ACT-B/E/<br>ACT-8/A/CPU-XOR                     | 8A                      | 1K 1K              |                       | ST            | G/B                     |
| A- 08-DHMCA | A       | 2223 8K11C MEMORY EXERCISER PROGRAM | 6-01-75           | MM11-B,+H221-AB+<br>MM11-C,+H222-AB+<br>MM11-D,+G651,2 | ALL 03                  | 16K 16K            | PDP-8                 | US ST         | G/B                     |
| A- 08-DHMGA | C       | 2223 8K8EJ MEMORY EXERCISER PROGRAM | 6-15-75           | MM8E +MM8EJ  |                         | 16K 16K            | PDP8                  | US ST         | G/B                     |
| A- 08-DHMSA | B       | 2223 MS8AA MEMORY EXERCISER PROGRAM | 6-15-75           | MS8AA +1K,2K,3+<br>4K                                  |                         | 16K 16K            | PDP-8                 | US ST         | G/B                     |
| A- 08-DHSEC | D       | 2223 STACK EXERCISER FOR H217 AND H | 11-15-75          | H217 /H224<br>H217C /H217D                             | PDP8E<br>PDP8M<br>PDP8I | 24K 24K            | PDP8E<br>PDP8M        | ST            | G/B                     |
| A- 08-DHSED | A       | 2223 STACK EXERCISER FOR H221 AND H | 11-15-75          | H221 /H222   |                         | 24K 24K            | PDP8E<br>PDP8M        | ST            | G/B                     |
| A- 08-DHSEE | A       | 2223 STACK EXERCISER FOR H219 STACK | 11-15-75          | H219   |                         | 24K 24K            | PDP8E<br>PDP8M        | ST            | G/B                     |

\*\*\*\*\*  
 \*\*\* APPLICATION: CLOCKS \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME           | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED                | PROC PROGRAM<br>RUNS IN | CORE K<br>LOAD RUN | TO SYSTEM<br>BASED OF | MODES<br>OPER | IXXDPID/S<br>TEXT ICODE |
|-------------|---------|------------------------|-------------------|------------------------------------|-------------------------|--------------------|-----------------------|---------------|-------------------------|
| M- 08-D8VB  | B       | KW08S CLOCK TEST       | 8-12-74           | KW08S                              | 08                      | 4K 4K              |                       | ST            | G/B                     |
| M- 08-D8DKA | A       | DK8E CLOCKS DIAGNUSTIC | 11-15-75          | DK8-EA /DK8-EC /<br>DK8-EP /DK8-ES | 8E<br>8M<br>8F<br>8A    | 4K 4K              |                       | ST            | G/B                     |

\*\*\*\*\*  
 \*\*\* APPLICATION: PAPER TAPE \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED | PROC PROGRAM<br>RUNS IN | CORE K TO<br>LOAD RUN | SYSTEM<br>BASED | MODES<br>OF OPER | IXXD<br>ID/S |
|-------------|---------|-----------------------------|-------------------|---------------------|-------------------------|-----------------------|-----------------|------------------|--------------|
| M- 08-02U   | A       | PA60C DIAG                  | 8-12-74           | PA60-C              | ALL 08                  | 4K 4K                 |                 | ST               | G/B          |
| M- 08-0HPCA | A       | HIGH SPEED READER/PUNCH TST | 5-01-77           | PC8-E               | 8E 8M                   | 4K 4K                 |                 | ST               | G/B          |

\*\*\*\*\*  
 \*\*\* APPLICATION: CARD \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                    | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED | PROC PROGRAM<br>RUNS IN | CORE K TO<br>LOAD RUN | SYSTEM<br>BASED | MODES<br>OF OPER | IXXD<br>ID/S |
|-------------|---------|---------------------------------|-------------------|---------------------|-------------------------|-----------------------|-----------------|------------------|--------------|
| M- 08-02N   | B       | CR01C CARD READER TEST          | 8-06-74           | CR01C               | 08                      | 4K 4K                 |                 | ST               | G/B          |
| M- 08-020   | A       | CR03 CARD READER TEST           | 8-12-74           | CR03                | 08                      | 4K 4K                 |                 | ST               | G/B          |
| M- 08-0HCMA | A       | 80 COL OPTICAL CARD READER TEST | 8-12-74           | CR8-F               | 8E                      | 4K 4K                 |                 | ST               | G/B          |
| M- 08-0HCRA | A       | CR8E/CR8F CARD READER TEST      | 8-12-74           | CR8-E /CR8-F        | 8E                      | 4K 4K                 |                 | ST               | G/B          |

\*\*\*\*\*  
 \*\*\* APPLICATION: TERMINALS \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                        | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED   | PROC PROGRAM<br>CORE K TO<br>SYSTEM | MODES<br>IXXDPID/S   | LOAD RUN<br>BASED | UF OPER<br>TEXT | ICODE |
|-------------|---------|-------------------------------------|-------------------|-----------------------|-------------------------------------|----------------------|-------------------|-----------------|-------|
| M- 08-020   | A       | LT08 TELEPRINTER TEST               | 8-12-74           | LT08                  | 8                                   | 4K 4K                | ST                |                 | G/B   |
| M- 08-02A   | A       | DC02 FAMILY-OF-EIGHT TELETYPE TEST  | 8-12-74           | PT08<br>DC02<br>ASK35 | +LT08<br>+ASR35<br>/ 12             | 4K 4K                | ST                |                 | G/B   |
| M- 08-02P   | E       | FAMILY OF 8 ASR33/35 TTY TEST 1     | 2-21-69           | ASH-33                | /ASR35                              | 8S<br>08<br>8I       | 4K 4K             | ST              | G/B   |
| M- 08-02Q   | D       | FAMILY OF 8 ASR33/35 TTY TEST 2     | 6-04-68           | ASH-33                | /ASR-35                             | 09<br>8I<br>8S       | 4K 4K             | ST              | G/B   |
| M- 08-08P   | A       | PT08 DATAPHONE                      | 8-19-68           | PT08-B                | /PT08-C                             | 08                   | 4K 4K             | ST              | G/B   |
| M- 08-08W   | A       | DC02 TELETYPE FLAG TEST             | 8-12-74           | DC02                  |                                     | 8I<br>8L<br>12       | 4K 4K             |                 | G/B   |
| M- 08-0HLAA | A       | DECWRITER CONTROL EXERCISER         | 2-16-73           | LA30                  |                                     | 4K 4K                | ST                |                 | G/B   |
| M- 08-0HLQA | B       | LQP8 PRINTER DIAGNOSTIC             | 8-01-77           | LQP8                  |                                     | ALL 08               | 4K 4K             | PDP-8           | ST    |
| M- 08-0HVTC | D       | VT50-VT52 VIDEO TERMINAL ACCEPTANCE | 3-15-76           | VT50-VT<br>VT50J      | VT50B<br>/VT50H                     | / ALL 08             | 4K 4K             | ST              | G/B   |
| M- 08-0HVTD | A       | VT61 VIDEO TERMINAL ACCEPTANCE TEST | 6-15-76           | VT61                  |                                     | ALL 08               | 4K 4K             | PDP-8           | ST    |
| M- 08-0IKLA | B       | KL8-JA/KA/KB/KC/KU LOOP BACK TEST   | 8-15-74           | KL8-JA                | /KA/KB/K                            | ALL 08               | 4K 4K             | ST              | G/B   |
| M- 08-0ILAB | D       | LA36 TERMINAL DIAGNOSTIC            | 10-15-75          | LA36<br>LA37          | /LA35<br>DC02                       | / ALL 08             | 4K 4K             | PDP8<br>PDP12   | ST    |
| M- 08-0ILAC | B       | LA180 PRINTER DIAGNOSTIC            | 7-15-76           | LA180                 |                                     | ALL 08               | 4K 4K             | PDP-8           | ST    |
| M- 08-0ILPA | C       | LE8/LP08 LINE PRINTER TEST          | 6-15-75           | LE8                   | /LP08                               | 08<br>8I<br>8L<br>8E | 4K 4K             | ST              | G/B   |
| M- 08-0ILPE | C       | LP06/LP05 LINE PRINTER TEST         | 8-01-77           | LE8<br>LP05           | /LP08                               | + ALL 08             | 4K 4K             | PDP8<br>PDP12   | ST    |
| M- 08-0ILVA | A       | LV12/LV8 PRINTER/PLOTTER TEST       | 8-12-74           | LV12                  | /LV8-E                              | ALL 08               | 4K 4K             | ST              | G/B   |

\*\*\*\*\*  
 \*\*\* APPLICATION: TERMINALS \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                        | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED  | PROC PROGRAM<br>CORE K TO<br>SYSTEM | MODES<br>IXXDPID/S | LOAD RUN<br>BASED | UF OPER<br>TEXT | ICODE |
|-------------|---------|-------------------------------------|-------------------|----------------------|-------------------------------------|--------------------|-------------------|-----------------|-------|
| M- 08-0IPAA | A       | FAMILY OF 8 TYPESET CONFIG TESTS    | 8-12-74           | PA60<br>/            | PA63                                | ALL 08             |                   | ST              | G/B   |
| M- 08-0IRTA | A       | RT01/02 TERMINAL UIAG               | 8-12-74           | RT01<br>RT02<br>PT08 | /DC02<br>/KLB<br>/                  | / ALL 08           | 4K 4K             | ST              | G/B   |
| M- 08-0IVTC | A       | VT55 VIDEO TERMINAL ACCEPTANCE TEST | 8-15-75           | VT55                 |                                     | ALL 08             | 4K 4K             | PDP-8           | ST    |

\*\*\*\*\*  
 \*\*\* APPLICATION: MAGNETIC TAPE \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                        | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED | PROC PROGRAM<br>RUNS IN | CORE K<br>LOAD | TO SYSTEM<br>BASED | MODES<br>OF OPER | IXXDPID/S<br>TEXT | ICD/S<br>CODE |
|-------------|---------|-------------------------------------|-------------------|---------------------|-------------------------|----------------|--------------------|------------------|-------------------|---------------|
| M-08-D3E    | B       | TC01 EXT MEMORY EXER                | 1-05-68           | TC01<br>TU55        | /TC08<br>/TU56          | / ALL 08       | 4K 8K              | ST               |                   | G/B           |
| M-08-D3F    | C       | INCREMENTAL TAPE DELAY TEST         | 8-12-74           | TR02                | +TU20                   | 8I<br>8L<br>8E | 4K 4K              | ST               |                   | G/B           |
| M-08-D3R    | A       | TC01 RANDOM EXERCISER               | 1-09-67           | TC01<br>TU56        | /TC08<br>/TU55          | / ALL 08       | 4K 4K              | ST               |                   | G/B           |
| M-08-D4C    | B       | INCREMENTAL TAPE COMPATIBILITY (PDP | 8-12-74           | TR02                | +TU20                   | 8I<br>8L       | 4K 4K              | ST               |                   | G/B           |
| M-08-D4D    | A       | INCREMENTAL TAPE DATA RELIABILITY   | 8-12-74           | TR02                | +TU20                   | 8I<br>8E<br>8L | 4K 4K              | ST               |                   | G/B           |
| M-08-D4E    | B       | PEC INCREMENTAL TAPE INSTR TEST     | 8-12-74           | TR02                | +TU20                   | 8I<br>8L<br>8E | 4K 4K              | ST               |                   | G/B           |
| M-08-D4F    | B       | PEC INCREMENTAL TAPE RANDOM EXERCIS | 8-12-74           | TR02                | +TU20                   | 8I<br>8L<br>8E | 4K 4K              | ST               |                   | G/B           |
| M-08-D9A    | D       | DATA RELIABILITY TEST (7 TRACK) (TC | 9-14-71           | TC58<br>TU20        | +TU10<br>/              | ALL 08         | 4K 4K              | ST               |                   | G/B           |
| M-08-D9E    | C       | INST TEST PART 2 (TC58)             | 12-03-68          | TC58<br>TU20        | +TU10<br>/              | ALL 08         | 4K 4K              | ST               |                   | G/B           |
| M-08-D9F    | C       | DATA RELIABILITY TEST (9 TRACK) (TC | 12-23-69          | TC58<br>TU20        | +TU10<br>/              | ALL 08         | 4K 4K              | ST               |                   | G/B           |
| M-08-D9G    | A       | TC58 DATA RELIABILITY (9 TRACK) (TU | 11-18-68          | TC58                | +TU30                   |                | 4K 4K              | ST               |                   | G/B           |
| M-08-DHTAA  | C       | CASSETTE DIAGNOSTIC                 | 8-12-74           | TA8-E               | +TU60                   | 8E             | 4K 4K              | ST               |                   | G/B           |
| M-08-DHTAB  | C       | CASSETTE DATA RELIABILITY TEST      | 5-01-77           | TA8-E               | TU60                    | 8E             | 4K 4K              | ST               |                   | G/B           |
| M-08-DHTDA  | B       | T08E DECTAPE DIAGNOSTIC             | 5-01-77           | T08-E<br>TU56       | +TU55<br>/              | 8E             | 4K 4K              | ST               |                   | G/B           |
| M-08-DHTMA  | B       | TM8E CONTROL TEST PART 1            | 8-01-77           | TM8-E               | +TU10                   | 8E             | 4K 4K              | ST               |                   | G/B           |
| M-08-DHTMB  | B       | TM8E CONTROL TEST PART 2            | 8-01-77           | TM8-E               | +TU10                   | 8E             | 4K 4K              | ST               |                   | G/B           |

\*\*\*\*\*  
 \*\*\* APPLICATION: MAGNETIC TAPE \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                        | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED | PROC PROGRAM<br>RUNS IN | CORE K<br>LOAD | TO SYSTEM<br>BASED | MODES<br>OF OPER | IXXDPID/S<br>TEXT | ICD/S<br>CODE |
|-------------|---------|-------------------------------------|-------------------|---------------------|-------------------------|----------------|--------------------|------------------|-------------------|---------------|
| M-08-DHTMD  | B       | TM8E DATA RELIABILITY (9 TRACK)     | 8-01-77           | TM8-E               | +TU10                   | 8E             | 4K 4K              | ST               |                   | G/B           |
| M-08-DHTME  | B       | TM8E DATA RELIABILITY (7 TRACK)     | 8-01-77           | TM8-E               | +TU10                   | 8E             | 4K 4K              | ST               |                   | G/B           |
| M-08-DHTMF  | B       | TM8E RANDOM EXERCISER               | 8-01-77           | TM8-E               | +TU10                   | 8E             | 4K 4K              | ST               |                   | G/B           |
| M-08-DHTMK  | A       | TM8E DRIVE FUNCTION TIMER           | 7-16-73           | TM8-E               | +TU10                   | 8E             | 4K 4K              | ST               |                   | G/B           |
| M-08-DHTSA  | B       | TM8-E/TS03 CONTROL TEST PART 1      | 8-01-77           | TM8-E               | +TS03                   | ALL 08         | 4K 4K              | PDP-08 ST        | BIN               | G/B           |
| M-08-DHTSB  | B       | TM8-E/TS03 CONTROL TEST PART 2      | 8-01-77           | TM8-E               | /TS03                   | ALL 08         | 4K 4K              | PDP-08 ST        |                   | G/B           |
| M-08-DHTSC  | B       | TM8-E/TS03 9TRK DATA RELIABILITY    | 8-01-77           | TM8-E               | +TS03                   | ALL 08         | 4K 4K              | PDP-08 ST        | BIN               | G/B           |
| M-08-DHTSD  | B       | TM8-E/TS03 MULTIDRIVE DATA EXERCISE | 8-01-77           | TM8-E               | +TS03                   | ALL 08         | 4K 4K              | PDP-08 ST        | BIN               | G/B           |
| M-08-DHTSE  | A       | TM8-E/TS03 DRIVE FUNCTION TIMER     | 7-15-73           | TM8-E               | +TS03                   | ALL 08         | 4K 4K              | PDP-08 ST        | BIN               | G/B           |
| M-08-DHTSF  | A       | TM8-E/TS03 UTILITY DRIVER           | 9-21-75           | TM8-E               | +TS03                   | ALL 08         | 4K 4K              | PDP-08 ST        | BIN               | G/B           |
| M-08-DITCA  | A       | TC01 BASIC EXERCISER                | 5-31-72           | TC01<br>TC08        | /TU56<br>/TU55          | / ALL 08       | 4K 4K              | ST               |                   | G/B           |
| M-08-DITCB  | A       | DRIVE FUNCTION TEST (TC58)          | 4-05-73           | TC58<br>TU20        | +TU10<br>/              | ALL 08         | 4K 4K              | ST               |                   | G/B           |
| M-08-DITCC  | A       | TC58 RANDOM EXERCISER               | 3-22-73           | TC58<br>TU20        | +TU10<br>/              | ALL 08         | 4K 4K              | ST               |                   | G/B           |
| M-08-DITCD  | A       | INST TEST PART 1 (TC58)             | 4-26-73           | TC58<br>TU10        | +TU20<br>/              |                | 4K 4K              | ST               |                   | G/B           |



\*\*\*\*\*  
 \*\*\* APPLICATION: DISK \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                        | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED    | PROC PROGRAM<br>RUNS IN       | CORE K TO<br>LOAD RUN | SYSTEM<br>BASED | MODES<br>OF OPER | IXXDPI/D/S<br>TEXT CODE |
|-------------|---------|-------------------------------------|-------------------|------------------------|-------------------------------|-----------------------|-----------------|------------------|-------------------------|
| M= 08-D5D   | B       | MULTIUSER DISK EXER                 | 8-12-74           | DF32                   | 08<br>0I                      | 4K                    | 4K              | ST               | G/B                     |
| M= 08-D5F   | A       | RF08 MULTI DISK TEST                | 3-26-68           | RF08                   | ALL 08                        | 4K                    | 4K              | ST               | G/B                     |
| M= 08-D5H   | C       | RK8 DISK DATA RELIABILITY           | 11-02-70          | RK08                   | ALL 08                        | 4K                    | 4K              | ST               | G/B                     |
| M= 08-D5K   | B       | RK8 DSK FURMATTER                   | 11-18-70          | RK08                   |                               | 4K                    | 4K              | ST               | G/B                     |
| M= 08-DHRKA | E       | 0 RK0E/0L DISKLESS CONTR TST        | 5-01-77           | RK0E<br>RK0SF<br>RK05J | + RK05J<br>+ RK08F<br>+ RK05F | 4K                    | 4K              | PDP-8 ST         | G/B                     |
| M= 08-DHRKB | G       | 0 RK0E DRIVE CONTROL TEST           | 5-15-76           | RK0E<br>RK0SF<br>RK05J | + RK05J<br>+ RK08F<br>+ RK05F | 4K                    | 4K              | PDP-8 ST         | G/B                     |
| M= 08-DHRKC | H       | 0 RK0E/0L DATA RELIABILITY          | 5-01-77           | RK0E<br>RK0SF<br>RK05J | + RK05J<br>+ RK08F<br>+ RK05F | 4K                    | 4K              | PDP-8 ST         | G/B                     |
| M= 08-DHRKD | D       | 0 RK0E/0L DISK FORMATTER            | 5-15-76           | RK0E<br>RK0SF<br>RK05J | + RK05J<br>+ RK08F<br>+ RK05F | 4K                    | 4K              | PDP-08 ST        | G/B                     |
| M= 08-DIDFA | C       | DISKLESS LOGIC TEST                 | 8-06-74           | DF32D                  | 0E<br>0F<br>0M<br>0I<br>0L    | 4K                    | 4K              | ST               | G/B                     |
| M= 08-DIDFB | A       | DF32 DISKLESS LOGIC TEST            | 8-06-74           | DF32                   | 08<br>0I<br>0L<br>0E          | 4K                    | 4K              | ST               | G/B                     |
| M= 08-DIDFC | A       | INTERFACE ADDR DISK DATA TEST       | 8-12-74           | DF32 /DF32D            | 08<br>0S<br>0I<br>0L<br>0E    | 4K                    | 4K              | ST               | G/B                     |
| M= 08-DIRFA | A       | RF08 DISK DATA TEST                 | 3-22-73           | RF08                   | ALL 08                        | 4K                    | 4K              | ST               | G/B                     |
| M= 08-DIRKA | A       | RK8 DISK AND CONTROL INSTR. EXERCIS | 8-01-77           | MR0-EA                 | ALL 08                        |                       |                 | PDP-8 ST         | G/B                     |

\*\*\*\*\*  
 \*\*\* APPLICATION: DISK \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                          | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED | PROC PROGRAM<br>RUNS IN | CORE K TO<br>LOAD RUN | SYSTEM<br>BASED | MODES<br>OF OPER | IXXDPI/D/S<br>TEXT CODE |
|-------------|---------|---------------------------------------|-------------------|---------------------|-------------------------|-----------------------|-----------------|------------------|-------------------------|
| M= 08-DIRXA | D       | 0 RX8/RX0I DIAGNOSTIC PROGRAM         | 8-01-77           | RX0-E /RX0I         | ALL 08                  | 8K                    | 8K              | PDP8 ST          | G/B                     |
| M= 08-DIRXB | E       | 0 RX8/RX0I DATA RELIABILITY EXERCISER | 8-01-77           | RX0-E +RX0I         | ALL 08                  | 8K                    | 8K              | PDP8 ST          | G/B                     |

\*\*\*\*\*  
 \*\*\* APPLICATION: DRUM \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME             | EFFEKTIVE;<br>DATE | OPTION(S)<br>TESTED | PROC PROGRAM;<br>RUNS IN | CORE K TO<br>LOAD RUN | SYSTEM;<br>BASED | MODES<br>OF OPER | IXXDPID/S<br>TEXT | ICODE |
|-------------|---------|--------------------------|--------------------|---------------------|--------------------------|-----------------------|------------------|------------------|-------------------|-------|
| M= 08-05A   | A       | MAGNETIC RM08A DRUM TEST | 8-12-74            | RM08                | 8                        | 4K                    | 4K               | ST               | G/B               |       |

\*\*\*\*\*  
 \*\*\* APPLICATION: COMM. EQUIPMENT \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME      | EFFEKTIVE;<br>DATE | OPTION(S)<br>TESTED | PROC PROGRAM;<br>RUNS IN | CORE K TO<br>LOAD RUN | SYSTEM;<br>BASED | MODES<br>OF OPER | IXXDPID/S<br>TEXT | ICODE |
|-------------|---------|-------------------|--------------------|---------------------|--------------------------|-----------------------|------------------|------------------|-------------------|-------|
| M= 08-0HKGA | B       | KG8-EA DIAGNOSTIC | 9-15-75            | KG8-EA              | 8E<br>8A                 | 4K                    | 4K               | PDP-8            | ST                | G/B   |

\*\*\*\*\*  
 \*\*\* APPLICATION: LAB. EQUIPMENT \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME     | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED | PROC PROGRAM<br>RUNS IN | CORE K TO<br>LOAD RUN | SYSTEM<br>BASED | MODES<br>OF OPER | IXXD<br>ID/S |
|-------------|---------|------------------|-------------------|---------------------|-------------------------|-----------------------|-----------------|------------------|--------------|
| M- 08-DHRRH | A 1     | DN8-ED EXERCISER | 9-15-75           | DN8-ED              | ALL 08                  | 4K 4K                 | PDP-8           | ST               | G/B          |

\*\*\*\*\*  
 \*\*\* APPLICATION: INDUST EQUIPMENT \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME       | EFFECTIVE<br>DATE | OPTION(S)<br>TESTED | PROC PROGRAM<br>RUNS IN | CORE K TO<br>LOAD RUN | SYSTEM<br>BASED | MODES<br>OF OPER | IXXD<br>ID/S |
|-------------|---------|--------------------|-------------------|---------------------|-------------------------|-----------------------|-----------------|------------------|--------------|
| M- 08-DHICA | A       | ICS8 FIELD TEST    | 9-15-75           | ICS8                | 8E<br>8M<br>8F<br>8A    | 8K 8K                 |                 | ST               | G/B          |
| A- 08-QHICA | A       | ICS8 SYSTEM TEST   | 12-15-75          | ICS8                | ALL 08                  | 8K 8K                 |                 | SY ST            | G/B          |
| A- 08-QHICB | A       | ICS8 FILE BOX TEST | 3-15-76           | ICS8                | ALL 08                  | 8K 8K                 |                 | ST               | G/B          |

\*\*\*\*\*  
 \*\*\* APPLICATION: UTILITY \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                         | EFFEKTIVE<br>DATE | OPTION(S)<br>TESTED | PROC PROGRAM<br>RUNS IN | CORE K<br>LOAD RUN | TO SYSTEM<br>BASED | MODES<br>OF OPER | IXXDP<br>TEXT | D/S<br>CODE |
|-------------|---------|--------------------------------------|-------------------|---------------------|-------------------------|--------------------|--------------------|------------------|---------------|-------------|
| M= 08-DIPRA | A       | PRS01 PAPER TAPE READER TOGGLE-IN FO | 8-01-77           | KL0J                | ALL 08                  |                    |                    | PDP-8 ST         |               | G/B         |
| M= 08-LBA   | A       | BINARY LOADER                        | 5-10-67           |                     | ALL 08                  | 4K                 | 4K                 | ST               |               | G/B         |
| D= 08-EUF   | B       | TC01 DECTAPE FORMATTER               | 4-10-70           | TC01<br>TU56        | /TC08<br>/TU55          | / ALL 08           | 4K                 | 4K               | ST            | G/B         |
| D= 08-LBA   | B       | BINARY LOADER                        | 8-06-74           |                     | ALL 08                  | 4K                 | 4K                 | ST               |               | G/B         |

\*\*\*\*\*  
 \*\*\* APPLICATION: SYS. EXERCISUR \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                   | EFFEKTIVE<br>DATE | OPTION(S)<br>TESTED   | PROC PROGRAM<br>RUNS IN | CORE K<br>LOAD RUN | TO SYSTEM<br>BASED | MODES<br>OF OPER | IXXDP<br>TEXT | D/S<br>CODE |
|-------------|---------|--------------------------------|-------------------|-----------------------|-------------------------|--------------------|--------------------|------------------|---------------|-------------|
| M= 08-D7C   | A       | TYPSET + SYSTEM EXERCISER      | 8-06-74           | TCS-E<br>TC01<br>TC08 | /DF32<br>/RF08<br>/LP08 | / ALL 08           | 4K                 | 4K               | SY ST         | G/B         |
| M= 08-D9K   | A       | FAMILY OF 8 MULTI BREAK DEV EX | 8-06-74           | DM01<br>TC01<br>DF52  | /RK08<br>/TC08<br>/RF08 | / 08<br>/ 8I<br>8L | 4K                 | 4K               |               | G/B         |
| M= 08-DJCLB | A       | CL8 PRESYSTEM TEST             | 12-15-75          | CL8<br>CM31           | /DS310<br>/             |                    |                    | ST               |               | G/B         |

\*\*\*\*\*  
 \*\*\* APPLICATION: DIAGNOSTIC PKG \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME              | EFFECTIVE DATE | OPTION(S) TESTED                | PROC PROGRAM CORE K TO SYSTEM MODES | LOAD RUN BASED OF OPEX | TEXT CODE |
|-------------|---------|---------------------------|----------------|---------------------------------|-------------------------------------|------------------------|-----------|
| M- 08-DH05B | N       | COS 300 DIAGNOSTIC MEDIUM | 8-01-77        | RK0-E<br>RK0-F<br>RK05<br>+RK05 | / ALL 08<br><br>N                   | 8K 8K 07<br>8M         | G/B       |
| M- 08-DJRXA | L       | CL/8 FLOPPY MEDIA #1      | 8-01-77        | RX01                            | ALL 08                              | 8K 8K PDP-8            | G/B       |
| M- 08-DJRXB | D       | PDP-8A FLOPPY MEDIA       | 8-01-77        | RX0-E                           |                                     | 8K 8K PDP-8            | G/B       |
| M- 08-DJRXC | G       | RX01 OPTIUN MEDIA #1      | 8-01-77        | RX0-E                           |                                     | 8K 8K PDP-8            | G/B       |
| M- 08-DJRXD | D       | RX01 OPTIUN MEDIA #2      | 8-01-77        | RX0-E                           |                                     | 8K 8K PDP-8            | G/B       |
| M- 08-DJRXE | C       | CL/8 FLOPPY MEDIA #2      | 8-01-77        |                                 |                                     | 8K 8K PDP-8            | G/B       |
| M- 08-DJRXF | B       | RX01 OPTIUN MEDIA #3      | 8-01-77        |                                 |                                     | 8K 8K PDP-8            | G/B       |
| M- 08-DJRXG | A       | RX01 OPTIUN MEDIA #4      | 8-01-77        |                                 |                                     |                        | G/B       |
| M- 08-DKRXA | A       | VT78 FLOPPY MEDIA         | 8-01-77        |                                 |                                     | VT78                   | G/B       |

\*\*\*\*\*  
 \*\*\* APPLICATION: OTHER \*\*\*  
 \*\*\*\*\*

| DESIGNATION | REV/MCO | PRODUCT NAME                | EFFECTIVE DATE | OPTION(S) TESTED | PROC PROGRAM CORE K TO SYSTEM MODES     | LOAD RUN BASED OF OPEX | TEXT CODE |
|-------------|---------|-----------------------------|----------------|------------------|---|------------------------|-----------|
| M- 08-D2G   | I       | BIN COUNT PAT TEST TAPE     | 8-06-74        | UC02             | 08                                      |                        | G/B       |
| M- 08-D9I   | B       | WIRE STORAGE INTERFACE DIAG | 8-06-74        | UC04-C           | 08                                      | 4K 4K                  | ST G/B    |
| M- 08-DHLSA | C       | LS8 LINEPRINTER TEST        | 12-15-75       | LS8              | 08 8I<br>8L 8E<br>8M 8A<br>PDP-12<br>12 | 4K 4K                  | ST G/B    |
| M- 08-DILPD | A       | LP08/F VERTICAL FURMAT DIAG | 7-30-72        | LP08             | 08<br>12                                | 4K 4K                  | ST G/B    |
| M- 08-DILTC | A       | PHOTOCOMP INTERFACE DIAG    | 1-22-73        | LPC-8            | 8E<br>8I<br>8L                          | 4K 4K                  | ST G/B    |

