

IDENTIFICATION

Product Code: MAINDEC-08-DO7B-D

Product Name: Random ISZ Test

Date Created: March 25, 1968

Maintainer: Diagnostic Group

Author: R. Green



## 1. ABSTRACT

This program is written to test the ISZ instruction of the PDP-8. An ISZ instruction is placed in a FROM location, and a TO location contains the OPERAND. Part 1 of the program selects FROM, TO, and OPERAND from a random number generator, with the option of holding any or all constant. Part 2 uses a fixed set of FROM, TO, and OPERAND numbers.

## 2. REQUIREMENTS

### 2.1 Equipment

One PDP-8 equipped with Teletype.

### 2.2 Storage

This program uses locations 0000 - 7600<sub>8</sub>. The Binary Loader must be stored in the last memory page.

### 2.3 Preliminary Programs

MAINDEC-08-D01(n), MAINDEC-08-D02(n), and MAINDEC-08-D03(n)

## 3. LOADING PROCEDURE

The standard Binary Loader is used.

## 4. STARTING PROCEDURE

### 4.1 Switch Settings

SR0 = Halt on error     

SR1 = Eliminate error printouts

SR3 = Fixed FROMS (1)  
Random FROMS (0)

SR4 = Fixed TOS (1)  
Random TOS (0)

SR5 = Fixed OPERAND (1)  
Random OPERAND (0)

SR9 = Do one ISZ only

SR11= Do part 2 (1→SR3, 4, 5 must be 0s.  
Do part 1 (0)

4.2 Starting Address

37

4.3 Operator Action

- a. Set SR (SWITCH REGISTER) to 0037 and press LOAD ADDRESS.
- b. Set SR to desired mode of operation; for most runs, SR9 = 1 allows the most testing in the least amount of time.

For fixed FROM, TO, or OPERAND usage, the fixed number may be selected and entered into the memory locations shown below:

FROM = 0002

TO = 0020

OPERAND = 0021

- c. Push START.

5. OPERATING PROCEDURE

Same as paragraph 4.

6. ERRORS6.1 Error Halts and Description

<u>C (PC)</u>	<u>Cause</u>
0002	Peripheral interrupt
0254	Halt on error. SR0 = 1

6.2 Error Printouts

F xxxx T yyyy  
0 ZZZZ F mmmm R nnnn NS

6.2.1 Printout Explanation

(FROM)	F xxxx	- The ISZ instruction in location xxxx failed.
(TO)	T yyyy	- The operand address of the ISZ instruction was yyyy.
(OPERAND)	0 ZZZZ	- The starting count in the ISZ loop was ZZZZ.
(FAILED)	F mmmm	- The failure occurred trying to ISZ the number mmmm.
(RESULT)	R nnnn	- The result of this ISZ was nnnn.
	NS	- No skip occurred.
	S,	- Indicates a skip.

### 6.2.2 Examples

- a. The following is a typical error printout.

F 3003 T 5470

O 3705 F 4777 R 5000 S

Line 1 of the printout is a statement of the problem. It says that located at 3003 is an ISZ instruction incrementing an operand stored in location 5470.

Line 2 of the printout gives information for error analysis. 3705 was the initial operand, 4777 was the operand being incremented when the error occurred, and 5000 is the operand following the failing increment. The S indicates that the increment resulted in a skip. The error here is obviously that the skip should not have occurred.

- b. The following is another typical error printout.

F 3003 T 5470

O 3705 F 4777 R 5020 NS

This is identical to example (a) except that a different type error has occurred. The result of incrementing 4777 should be 5000, not 5020.

### 6.3 Error Recovery

The program continues on, following an error printout unless SR0 = 1. After a halt on error, push CONTINUE to resume testing.

When errors exist, a failing condition chosen from those typed out must be used with the scope mode. For the scope mode, perform the following steps:

- a. Stop the program.
- b. Insert chosen FROM into location 0002.
- c. Insert chosen TO into location 0020
- d. Insert chosen failing OPERAND into location 0021
- e. Restart program with control switches 1, 3, 4, 5, and 9 set to 1.

NOTE: By setting SR0 the program halts following the error printout.

The operator may at this time set switches 1, 3, 4, 5 and 9 and push CONTINUE. The program enters a scope mode using the failing conditions just printed.

## 7. RESTRICTIONS

### 7.1 Starting Restrictions

None

7.2 Operating Restrictions

The interrupt is enabled during program operation. Any attached device, which might cause spurious interrupts, must be disabled.


8. MISCELLANEOUS8.1 Execution Time

SR9 = 0. 11,000 ISZ operations/second.

SR9 = 1. 3,500 ISZ operations/second

9. PROGRAM DESCRIPTION

The test loop is shown below:



Part 1 of the program uses a random number generator to select the FROM, TO, and OPERAND numbers. Once selected, the OPERAND is incremented until it reaches zero. Each ISZ is checked by duplicating ISZ with TAD, IAC, DCA. Each iteration is also checked for the proper skip or no-skip condition.

Part 2 of the program is actually part 1, with the random number generator replaced by a fixed number generator. Sequencing of events is as follows, (note:  $621_8 <$ MEMORY TEST AREA $< 7600_8$ ):

- a. FROM = 621 TO = 624 Test a set of 24 selected OPERANDS.

To save time it is suggested that SR9 = 1, so that the ISZ is performed on each OPERAND only once instead of incrementing it until the ISZ instruction skips.

b. FROM = 621 TO = 625 Repeat the set of OPERANDS used in (a) above.

This sequence continues until TO reaches the upper limit of the memory test area. FROM is then incremented by 1 and the process is repeated. When FROM reaches the upper limit of the memory test area, the test is complete.

Ideally, it is desirable to ISZ every location from every other location in the test area and, in doing so, use all 24 of the selected worst case operands for each set of addresses. This is what Part 2 does, but it takes many days to complete the test. It is for this reason that the program uses the random number generator system of Part 1. Part 2 is an additional feature of the program with very limited use.

A 07 is printed after each group of 32,000 tests.

```

/PDP-8S ISZ TEST
/
/CONSTANTS AND VARIABLES
*0
0000      0000      0
0001      5001      JMP 1      /PERIPHERAL INTERRUPT
0002      0002      FRMLOC, 2   /ISZ TEST INSTRUCTION LOCATION
0003      0003      LIMLO, 3    /LOW LIMIT TEST AREA
0004      0200      LIMHI, -7600  /HIGH LIMIT TEST AREA
0005      0547      ASUC, SUC
0006      7771      M7, -7
0007      0007      MSK7, 0007   /OCTAL CONVERSION MASK
0010      0000      WORK, 0     /IR0
0011      0000      WORK1, 0    /IR1
0012      7401      M377, -377
0013      3607      NUM, 3607   /THE RANDOM NUMBER LOCATION
0014      0003      THREE, 3

0015      2420      ISZ1, ISZ I TOLOC /MOVING ISZ
0016      5115      JMP1, JMP BACK /TEST INSTRUCTION
0017      5140      JMP2, JMP BAKBRN /GROUP,
0020      0000      TOLOC, 0    /LOCATION TO BE ISZ'D
0021      0000      PATRN, 0   /STARTING ISZ PATTERN
0022      0000      BEFOR, 0   /FAILING PATTERN BEFORE FAILING ISZ
0023      0000      AFTER, 0   /PREDICTED RESULTS OF EACH ISZ
0024      0004      K4, 4      /SWITCH REGISTER MASKS
0025      0400      K0400, 0400
0026      0200      K0200, 0200
0027      0100      K0100, 0100
0030      0000      NOTE, 0    //1'S=ERROR WITH NO SKIP
0031      0260      PRINT, INF1-1 /01'S=ERROR WITH SKIP
0032      0200      AERR1, ERR1
0033      0205      AERR2, ERR2
0034      0413      APDR, PDR
0035      1013      ITAUNM, TAD NUM
0036      0600      ATFCLF, TFCLF

```

/SR0=HALT AFTER ERROR PRINTOUT  
/SR1=NO PRINTOUTS  
/SR3 = HOLD FROM CONSTANT  
/SR4 = HOLD TO CONSTANT  
/SR5 = HOLD PATTERN CONSTANT  
/SR9 = DO ONE ISZ ONLY  
/SR11 = DO PART 2  
  
/PROGRAM START  
0037 4440      START, JMS I ,\*1      /ION  
0040 0614      PATCH                    /LAS  
0041 0014      AND THREE  
0042 7640      SEA CLA                /SKIP IF PART 1  
0043 5425      JMP I K0400            /GO TO PART 2  
0044 1035      TAD ITAUNM  
0045 3164      DCA RANUM+1  
0046 7604      /CHECK FOR FIXED PATTERN  
0047 0027      CHEK1, LAS  
0050 7440      AND K0100  
0051 5054      SEA  
                  JMP CHEK2

0052 4163	SELPAT, /SELECT THE PATTERN
0053 3021	JMS RANUM DCA PATRN
0054 7604	CHEK2, /CHECK FOR FIXED TO
0055 0026	LAS AND K0200
0056 7640	SZA CLA
0057 5064	JMP CHEK3
0060 4163	SELTO, /SELECT THE TO LOCATION
0061 3020	JMS RANUM
0062 1020	DCA TOLOC
0063 4150	TAD TOLOC
	JMS LIMTST
0064 7604	CHEK3, /CHECK FOR FIXED FROM
0065 0025	LAS AND K0400
0066 7640	SZA CLA
0067 5074	JMP PLCINT
0070 4163	SELFRM, /SELECT THE FRM LOCATION
0071 3002	JMS RANUM
0072 1002	DCA FRMLOC
0073 4150	TAD FRMLOC
	JMS LIMTST
/PLACE FROM INSTRUCTIONS	
0074 7240	PLCINT, CLA GMA
0075 1002	TAD FRMLOC
0076 3010	DCA WORK
0077 1015	TAD ISZ1
0100 3410	DCA I WORK
0101 1016	TAD JMP1
0102 3410	DCA I WORK
0103 1017	TAD JMP2
0104 3410	DCA I WORK

/DEPOSIT PATTERN IN TO LOCATION  
 0105 1021  
 0106 3420  
 TAD PATRN  
 DCA I TOLOC

/STORE PREDICTED ISZ RESULT  
 0107 1021  
 0110 3022  
 0111 1022  
 0112 7001  
 0113 3023  
 0114 5405  
 LUP1,  
 TAD BEFOR  
 IAC  
 DCA AFTER  
 JMP I ASUC

/RETURN FOR NO SKIP CONDITION  
 0115 7604  
 0116 7004  
 0117 7710  
 0120 5131  
 0121 1420  
 0122 7041  
 0123 1023  
 0124 7640  
 0125 5432  
 0126 1420  
 0127 7650  
 0130 5432  
 0131 7604  
 0132 0024  
 0133 7440  
 0134 5046  
 0135 7001  
 0136 1022  
 0137 5110  
 BACK,  
 LAS  
 RAL  
 SPA CLA  
 JMP LAS1  
 TAD I TOLOC  
 CIA  
 TAD AFTER  
 SEA CLA  
 JMP I AERR1 /ERROR IN ISZ OPERATION  
 TAD I TOLOC  
 SNA CLA  
 JMP I AERR1 /ERROR IN ISZ SKIP DETECTION  
 LAS1,  
 LAS  
 AND K4  
 SEA /SKIP IF NOT ONE ISZ (SR9)  
 JMP CHEK1  
 IAC  
 TAD BEFOR  
 JMP LUP1=1

/RETURN FOR SKIP CONDITION  
 0140 7604  
 0141 7004  
 0142 7710  
 0143 5046  
 0144 1420  
 0145 7640  
 0146 5433  
 0147 5046  
 BAKBN,  
 LAS  
 RAL  
 SPA CLA  
 JMP CHEK1  
 TAD I TOLOC  
 SEA CLA /SKIP IF TO LOCATION OK  
 JMP I AERR2 /ERROR IN ISZ LOCATION  
 JMP CHEK1

/TEST HIGH-LOW LIMITS  
 0150 0000  
 0151 7510  
 0152 5157  
 0153 1003  
 0154 7700  
 0155 5550  
 0156 5164  
 0157 1004  
 0160 7700  
 LIMITST, 0  
 SPA  
 JMP ,+5  
 TAD LIMLO  
 SMA CLA  
 JMP I LIMITST  
 JMP RANUM+1  
 TAD LIMHI  
 SMA CLA

1/11/68 3:22,6

PAGE 4-1

0161 5164  
0162 5550

JMP RANUM+1  
JMP I LIMITS1

RANUM, /RANDOM NUMBER GENERATOR  
0163 0000  
0164 1013  
0165 7104  
0166 1430  
0167 1014  
0170 3013  
0171 1013  
0172 5563  
0173 0333  
0174 0334  
0175 1000  
0176 0000  
0177 0000  
RANUM, 0  
TAU NUM  
RAL CLE  
SEL  
TAU THREE  
DUA NUM  
TAU NUM /AC=NEW RANDOM NUMBER  
JMP I RANUM  
A1, SKPUAT  
A2, SKPUAT+1  
K1000, 1000  
KP, 0  
CT, 0

0200	1341	*220
0201	3333	ERR1, /ERROR ROUTINE 1
0202	7040	TAD SKPUDAT+6
0203	3030	DCA SKPUDAT
0204	5207	CMA
		DCA NOTE
		JMP KPG0
0205	1332	ERR2, /ERROR ROUTINE 2
0206	3333	TAD SKPUDAT+1
0207	1342	DCA SKPUDAT
0210	3334	KPG0, TAD SKPUDAT+7
0211	1002	DCA SKPUDAT+1
0212	3010	TAD FRMLOC
0213	1371	DCA WORK
0214	4343	TAD A3
		JMS SETUP
0215	1020	TAD TOLOC
0216	3010	DCA WORK
0217	1372	TAD A4
0220	4343	JMS SETUP
0221	1021	TAD PATRN
0222	3010	DCA WORK
0223	1373	TAD A5
0224	4343	JMS SETUP
0225	1022	TAD BEFOR
0226	3010	DCA WORK
0227	1374	TAD A6
0230	4343	JMS SETUP
0231	1420	TAD I TOLOC
0232	3010	DCA WORK
0233	1375	TAD A7
0234	4343	JMS SETUP
0235	6002	TTY, /TTY PRINT ROUTINE
0236	1031	IOF
0237	3010	TAD PRINT
0240	1410	DCA WORK
0241	6046	TAD I WORK
0242	6041	TLS
0243	5242	TSF
0244	1012	JMP ,=1
0245	7640	TAD M377
0246	5240	S2A CLA
0247	6042	JMP TTY*3
0250	6001	TCF
0251	7604	ION
0252	7710	LAS
0253	7402	SPA CLA
		HLT
		/HALT AFTER ERROR (SR0)

1/11/68 3:22,14

PAGE 6-1

0254	1030	TAD NOTE
0255	7650	SNA CLA
0256	5046	JMP CHEK1
0257	3030	DCA NOTE
0260	5131	JMP LAST

/RETURN TO NO SKIP ROUTINE

0261	0306		/ERROR PRINT OUT LINE 1
0262	0240	INF1,	306            /F     FROM (INSTRUCTION LOCATION)
0263	0000		240            /SPACE
0264	0000	INDATA,	0            /X     LOCATION
0265	0000		0            /X
0266	0000		0            /X
0267	0240		240            /SPACE
0270	0240		240            /SPACE
0271	0324		324            /T     TO (OPERAND ADDRESS)
0272	0240		240            /SPACE
0273	0000	ONDATA,	0            /X     ADDRESS
0274	0000		0            /X
0275	0000		0            /X
0276	0000		0            /X
0277	0215		215            /CR
0300	0212		212            /LF
0301	0215		215            /CR
0302	0215		215            /CR
0303	0317		/ERROR PRINTOUT LINE 2
0304	0240		317            /O     OPERAND (STARTING COUNT)
0305	0000		240            /SPACE
0306	0000	STDATA,	0            /X     PATTERN
0307	0000		0            /X
0310	0000		0            /X
0311	0240		240            /SPACE
0312	0240		240            /SPACE
0313	0306		306            /F     FAILING COUNT
0314	0240		240            /SPACE
0315	0000	FLDATA,	0            /X     PATTERN BEFORE FAILING ISZ
0316	0000		0            /X
0317	0000		0            /X
0320	0000		0            /X
0321	0240		240            /SPACE
0322	0240		240            /SPACE
0323	0322		322            /R     RESULT AFTER FAILURE
0324	0240		240            /SPACE

0325	0262	RSDATA, C	/X	PATTERN AFTER FAILING ISZ
0326	0002	C	/X	
0327	0007	C	/X	
0330	0008	C	/X	
0331	0240	240	/SPACE	
0332	0242	240	/SPACE	
0333	0016	S_PUAL, S16	/N NO	
0334	0323	323	/S SKIP	
0335	0215	215	/UR	
0336	2212	212	/LF	
0337	0212	212	/LF	
0340	2377	377	/RUBOUT	
0341	0316	316	/N	
0342	0323	323	/S	
		SETUP, 0		
0343	0000	DCA WORK1		
0344	3011	TAD WORK		
0345	1010	RTL		
0346	7006	RTL		
0347	7006	JMS MORSU		
0350	4363	RTR		
0351	7012	RTR		
0352	7012	RTR		
0353	7012	RTR		
0354	4363	JMS MORSU		
0355	7012	RTR		
0356	7010	RAR		
0357	4363	JMS MORSU		
0360	4363	JMS MORSU		
0361	7200	CLA		
0362	5743	JMP I SETUP		
0363	0000	MORSU, 0		
0364	0007	AND MSK/		
0365	1376	TAD TW6		
0366	3411	DCA I WORK1		
0367	1010	TAD WORK		
0370	5763	JMP I MORSU		
		/PAGE 1 CONSTANTS		
0371	0262	A3, INDATA=1		
0372	0272	A4, ONDATA=1		
0373	0304	A5, STDATA=1		
0374	0314	A6, FLDATA=1		
0375	0324	A7, RSDATA=1		
0376	0260	TW6, 0260		

## /PART 2 INITIALIZATION ROUTINE

\*400

0400		TAD LIMLO	
0400	1003	CIA	
0401	7041	DCA FROM	
0402	3310	TAD LIMLO	/LOW LIMIT TO FROM
0403	1003	CMA	
0404	7040	DCA TO	
0405	3311	TAD A0	
0406	1346	DCA PATCYC	
0407	3313	TAD INST1	
0410	1314	DCA RANUM+1	
0411	3164		
0412	5046	JMP CHEK1	/GO TO PAGE 0 START
/PATH DECISION ROUTINE			
0413	1163	TAD RANUM	
0414	7041	CIA	
0415	1305	TAD GFRUM	
0416	7650	SNA CLA	/SKIP IF NOT REQUESTING FROM
0417	5303	JMP FRUT	/GO TO FROM ADDRESS ROUTINE
0420	1163	TAD RANUM	
0421	7041	CIA	
0422	1306	TAD GTO	
0423	7650	SNA CLA	/SKIP IF NOT REQUESTING TO
0424	5301	JMP TURUT	/GO TO TO ADDRESS ROUTINE
0425	5226	JMP PRUT	/GO TO PATTERN ROUTINE

/SELECT PATTERN AND OTHER THINGS

0426	1713	PRJT,	TAD I PATCYC	
0427	3312		DCA PATT	
0430	1312		TAD PATT	
0431	7450		SNA	/NO SKIP IF END OF PATTERN TABLE
0432	5240		JMP ,+6	/END PATTERN TABLE LOOK AROUND
0433	7201		CLA IAC	
0434	1313		TAD PATCYC	
0435	3313		DCA PATCYC	
0436	1312		TAD PATT	
0437	5563		JMP I RANUM	/RETURN, AC=NEW PATTERN
			/	
0440	1345		TAD AK7//6	
0441	3313		DCA PATCYC	/RESTOR START ADDRESS OF PATT, TABLE
0442	7001		IAC	
0443	1311		TAD TO	
0444	3311		DCA TO	/INCREMENT TO
0445	1311		TAD TO	
0446	7041		CIA	
0447	1310		TAD FROM	
0450	7640		SZA CLA	/SKIP IF TO = FROM
0451	5255		JMP ,+4	
0452	1311		TAD TO	
0453	1014		TAD THREE	
0454	3311		DCA TO	/SKIP AROUND FROM
0455	1311		TAD TO	
0456	7500		SMA	
0457	5276		JMP GOOUT	
0460	1004		TAD LIMHI	
0461	7710		SPA CLA	/SKIP IF END TEST AREA
0462	5276		JMP GOOUT	
0463	7201		CLA IAC	
0464	1310		TAD FROM	
0465	3310		DCA FROM	/ADVANCE FROM
0466	1003		TAD LIMLO	
0467	7041		CIA	
0470	3311		DCA TO	/RESET TO ADDRESS
0471	1310		TAD FROM	
0472	1004		TAD LIMHI	
0473	7640		SZA CLA	
0474	5276		JMP GOOUT	
0475	5200		JMP 400	
0476	7200		CLA	
0477	1312		TAD PATT	
0500	5563	GOOUT,	JMP I RANUM	

0501	1311	T0RUT,	/SELECT TO ROUTINE
0502	5563		TAD TO
			JMP I RANUM
0503	1312	FRTI,	/SELECT FROM ROUTINE
0504	5563		TAD FROM
			JMP I RANUM
0505	0011	GFRUM,	/PAGE 3 CONSTANTS
		SELFRM+1	
0506	0061	GTO,	/STORED RETURN ADDRESS WHEN
		SELTO+1	/RANDOM FROM IS REQUESTED
0507	0053	GPAT,	/STORED RETURN ADDRESS WHEN
		SELPAT+1	/RANDOM TO IS REQUESTED
0510	0000	FROM,	/STORED RETURN ADDRESS WHEN
0511	0000	TO,	/RANDOM PATTERN IS REQUESTED
0512	0000	PATT,	/CURRENT FROM ADDRESS
0513	0000	PATCYC,	/CURRENT TO ADDRESS
0514	5434	INST1,	/CURRENT PATTERN
0515	7776	JMP I APUR	/CURRENT PATTERN ADDRESS
		K7776,	7776
0516	7775		7775
0517	7773		7773
0520	7767		7767
0521	7757		7757
0522	7737		7737
0523	7677		7677
0524	7577		7577
0525	7377		7377
0526	6777		6777
0527	5777		5777
0530	3777		3777
0531	0001		0001
0532	0003		0003
0533	0007		0007
0534	0017		0017
0535	0037		0037
0536	0077		0077
0537	0177		0177
0540	0377		0377
0541	0777		0777
0542	1777		1777
0543	3777	K3777,	3777
0544	0000		0
0545	0515	AK7776,	K7776
0546	0544	A0,	K3777+1

0547	1177	SOC,	TAD CT
0550	7001		IAC
0551	3177		DCA CT
0552	1177		TAD CT
0553	7640		SZA CLA
0554	5436		JMP I ATFCLF
0555	1176		TAD KP
0556	1175		TAD K1000
0557	3176		DCA KP
0560	1176		TAD KP
0561	7640		SZA CLA
0562	5436		JMP I ATFCLF
0563	6002		IOP
0564	1375		TAD ZERO
0565	3573		DCA I A1
0566	1376		TAD SVN
0567	3574		DCA I A2
0570	1374		TAD INF2
0571	3010		DCA WORK
0572	5773		JMP I ,*1
0573	7602		7602
0574	0332	INF2,	SKPUAT-1
0575	0260	ZERO,	200
0576	0267	SVN,	207

0600

\*640

## /CHECK FOR TO=FROM CONFLICT

0600	1020	TFCLF, TAD TULOC
0601	7041	CIA
0602	1002	TAD FRMLOC
0603	7450	SNA
0604	5054	JMP CHEK2
0605	7001	IAC
0606	7450	SNA
0607	5054	JMP CHEK2
0610	7001	IAC
0611	7650	SNA CLA
0612	5054	JMP CHEK2
0613	5402	JMP I FRMLOC

0614	0000	PATCH, 0 /RESTORE THEN GO AWAY
0615	3000	DCA 0
0616	1232	TAD X
0617	3001	DCA 1
0620	1233	TAD X1
0621	3002	DCA 2
0622	1234	TAD X2
0623	3003	DCA 3
0624	1235	TAD X3
0625	3037	DCA START
0626	1236	TAD X4
0627	3040	DCA START+1
0630	6001	ION
0631	5614	JMP I PATCH

0632	7402	X, 7402
0633	0000	X1, 0
0634	7157	X2, 7157
0635	6001	X3, ION
0636	7604	X4, LAS

7602	7602	*7602
7602	1410	TAD I WORK
7603	6046	TLS
7604	6041	TSF
7605	5204	JMP ,#1
7606	1012	TAD M377
7607	7640	SEA CLA
7610	5202	JMP ,#6
7611	5217	JMP OVR

7617	7617	*7617
7617	6042	OVR, TCF
7620	6001	ION
7621	5436	JMP I ATFCLF

\$

## SYMBOL TABLE

AERR1	0032
AERR2	0033
AT TER	0023
AK7/76	0545
APDR	0034
ASUC	0005
ATFCLF	0036
A0	0546
A1	0173
A2	0174
A3	0371
A4	0372
A5	0373
A6	0374
A7	0375
BACK	0115
BAKBRN	0140
BFOR	0022
CHEK1	0046
CHEK2	0054
CHEK3	0064
C1	0177
ERR1	0200
ERR2	0205
FLODATA	0315
FRMLOC	0002
FROM	0510
FRUT	0503
GFROM	0505
GUUT	0476
GPAT	0507
GTO	0506
INDATA	0263
INF1	0261
INF2	0574
INST1	0514
ISZ1	0015
ITADUNM	0035
JMP1	0016
JMP2	0017
KP	0176
KPGU	0207
K0100	0027
K0200	0026
K0400	0025
K1000	0175
K3777	0543
K4	0024
K7776	0515
LAS1	0131
LIMHI	0004
LIMLO	0003
LIMTST	0150

## SYMBOL TABLE

LUP1	0111
MURSU	0363
MSK1	0007
MS77	0012
M1	0006
NUTE	0030
NUM	0013
ONDATA	0273
UVR	7617
PATCH	0614
PATCYC	0513
PATRN	0021
PATT	0512
PUR	0413
PLCINT	0074
PRINT	0031
PRUT	0426
RANUM	0163
RSDATA	0325
SELFRM	0070
SELPAT	0052
SELTO	0060
SETUP	0343
SKPDAT	0333
START	0037
STDATA	0305
SUC	0547
SVN	0576
TFCLF	0600
THREE	0014
TU	0511
TULOC	0020
TURUT	0501
TIY	0235
TW6	0376
WORK	0010
WORK1	0011
X	0632
X1	0633
X2	0634
X3	0635
X4	0636
ZERO	0575

## SYMBOL TABLE

FRMLOC	0002
LIMLO	0003
LIMHI	0004
ASUC	0005
M7	0006
MSK7	0007
WORK	0010
WORK1	0011
M377	0012
NUM	0013
THREE	0014
ISZ1	0015
JMP1	0016
JMP2	0017
TULOC	0020
PATRN	0021
BEFOR	0022
AFTER	0023
K4	0024
K0400	0025
K0200	0026
K0100	0027
NOTE	0030
PHINT	0031
AERR1	0032
AERR2	0033
APDR	0034
ITADNM	0035
ATFCLF	0036
START	0037
CHEK1	0046
SELPAT	0052
CHEK2	0054
SELTO	0060
CHEK3	0064
SELFIRM	0070
PLCINT	0074
LUP1	0111
BACK	0115
LAS1	0131
BAKBRN	0140
LIMTST	0150
RANUM	0163
A1	0173
A2	0174
K1000	0175
KP	0176
CT	0177
EHR1	0200
EHR2	0205
KPG0	0207
TTY	0235
INF1	0261

## SYMBOL TABLE

INDATA	0263
ONDATA	0273
STDATA	0305
FLD DATA	0315
RSDATA	0325
SKPDAT	0333
SETUP	0343
MURSU	0363
A3	0371
A4	0372
A5	0373
A6	0374
A7	0375
TW6	0376
PUR	0413
PRUT	0426
GOUT	0476
TURUT	0501
FRUT	0503
GFROM	0505
GTO	0506
GPAT	0507
FROM	0510
TU	0511
PATT	0512
PATCYC	0513
INST1	0514
K776	0515
K3777	0543
AK7776	0545
A0	0546
SUC	0547
INF2	0574
ZERO	0575
SVN	0576
TFCLF	0600
PATCH	0614
X	0632
X1	0633
X2	0634
X3	0635
X4	0636
OVR	7617

THERE ARE NO ERRORS

